



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 



6405 Mira Mesa Blvd., Suite 100

San Diego, CA 92121

Tel: 1.858.202.1401

Fax: 1.858.481.8694

Email: support@bpsbioscience.com

Mouse Tumor Necrosis Factor-alpha Recombinant

Catalog #: 90246-B

Lot#: 230223

Description: Recombinant murine TNF-alpha is a disulfide-linked monomer protein, consisting of 157 amino acids and migrates as an approximately 17 kDa protein under reducing conditions.

Source: Optimized DNA sequence encoding mouse TNF- α mature chain was expressed in *E. coli*.

Formulation: Lyophilized from a 0.2 μ m filtered solution (1 mg/ml) containing PBS, pH 7.0.

Reconstitution: A quick spin of the vial followed by reconstitution in distilled water to a concentration not less than 0.1 mg/ml. This solution can then be diluted into other buffers.

Storage: The lyophilized protein is stable for at least 2 years from date of receipt when stored at -20°C. Upon reconstitution, store in working aliquots at 2 - 8°C for up to one month, or at -20°C for up to six months, in the presence of a carrier protein. Avoid repeated freeze/thaw cycles.

Purity: >97%, as determined by SDS-PAGE and HPLC.

Endotoxin Level: Endotoxin level was found to be < 0.1 ng/ μ g (1EU/ μ g), using the LAL gel clot method.

Biological Activity: The ED₅₀, determined by cytolysis of murine L929 cells in the presence of Actinomycin D is $\leq$ 0.05 ng/ml, corresponding to a specific activity of > 3 x 10⁷ units/mg.

Protein Sequence:

LRSSSQNSSDKPVAHVVAHQVEEQL
EWLSQRANALLANGMDLKDNLVVP
DGLYLVYSQVLFKGQGPCDYVLLTHT
VSRFAISYQEKVNLLSAVKSPCPKDTP
EGAELKPWYEPIYLGGVFQLEKGDQL
SAEVNLPKYLDFAESGQVYF GVIAL

References:

1. Kawai, VK, *et al.* *Curr Opin Rheumatol.* 2012 Sep; **24(5)**:576-585.
2. Santello, M, and Volterra, A. *Trends Neurosci.* 2012 Oct; **35(10)**:638-47.

OUR PRODUCTS ARE FOR RESEARCH USE ONLY. NOT FOR DIAGNOSTIC OR THERAPEUTIC USE.

To place your order, please contact us by Phone **1.858.202.1401** Fax **1.858.481.8694**

Or you can Email us at: support@bpsbioscience.com

Please visit our website at: www.bpsbioscience.com