



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Lauric Acid

Item No. 10006626

CAS Registry No.: 143-07-7
Formal Name: dodecanoic acid
Synonyms: C12:0, Dodecanoic Acid, NSC 5026
MF: $C_{12}H_{24}O_2$
FW: 200.3
Purity: $\geq 98\%$
Supplied as: A crystalline solid
Storage: Room temperature
Stability: ≥ 2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Lauric acid is supplied as a crystalline solid. A stock solution may be made by dissolving the lauric acid in the solvent of choice, which should be purged with an inert gas. Lauric acid is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF). The solubility of lauric acid in ethanol and DMF is approximately 30 mg/ml and approximately 20 mg/ml in DMSO.

Description

Lauric acid is a medium-chain saturated fatty acid. It has been found at high levels in coconut oil.¹ Lauric acid induces the activation of NF- κ B and the expression of COX-2, inducible nitric oxide synthase (iNOS), and IL-1 α in RAW 264.7 cells when used at a concentration of 25 μ M.²

References

1. Laureles, L.R., Rodriguez, F.M., Reaño, C.E., *et al.* Variability in fatty acid and triacylglycerol composition of the oil of coconut (*Cocos nucifera* L.) hybrids and their parentals. *J. Agric. Food Chem.* **50**(6), 1581-1586 (2002).
2. Lee, J.Y., Sohn, K.H., Rhee, S.H., *et al.* Saturated fatty acids, but not unsaturated fatty acids, induced the expression of cyclooxygenase-2 mediated through toll-like receptor 4. *J. Biol. Chem.* **276**(20), 16683-16689 (2001).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 01/28/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM