

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



Prostaglandin D Synthase (lipocalin-type; human recombinant)

Item No. 10006788

Overview and Properties

Lipocalin-PGDS, L-PGDS Synonyms:

Source: Recombinant N-terminal GST-Tagged enzyme purified from E. coli

Uniprot No.: P41222

Molecular Weight: 46 kDa/subunit -80°C (as supplied) Storage:

Stability: ≥2 years

batch specific (≥85% estimated by SDS-PAGE) **Purity:**

Supplied in: 50 mM sodium phosphate, pH 7.2, with 20% glycerol, 150 mM sodium chloride,


1 mM DTT, and 0.5 mM EDTA

Protein

batch specific mg/ml Concentration:

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Image



Lane 1: MW Markers

Lane 2: Prostaglandin D Synthase (lipocalin-type; human recombinant) (2 µg)

Lane 3: Prostaglandin D Synthase (lipocalin-type; human recombinant) (4 μg)

Representative gel image shown; actual purity may vary between each batch.

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 05/17/2019

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

Prostaglandin D synthase (PGDS) catalyzes the isomerization of PGH_2 to produce PGD_2 . PGD_2 induces sleep, regulates nociception, inhibits platelet aggregation, and acts as an allergic mediator. Two distinct types of PGDS have been identified, namely the lipocalin-type enzyme and the hematopoietic enzyme. 1-3 L-PGDS is localized in the central nervous system and male genital organs of various mammals and the human heart. This enzyme has been identified as β -trace, which is a major protein in human cerebrospinal fluid. 1

Cayman's L-PGDS (human recombinant) is a highly-purified GST-fusion protein isolated from an *E. coli* expression system. Cysteines 89 and 186 have been changed to alanines to prevent protein misfolding.

References

- 1. Urade, Y., Watanabe, K., and Hayaishi, O. Prostaglandin D, E, and F synthases. J. Lipid Mediat. Cell Signal 12(2-3), 257-273 (1995).
- 2. Urade, Y. and Hayaishi, O. Prostaglandin D synthase: Structure and function. Vitam. Horm. **58**, 89-120 (2000).
- 3. Urade, Y. and Eguchi, N. Lipocalin-type and hematopoietic prostaglandin D synthases as a novel example of functional convergence. *Prostaglandins Other Lipid Mediat.* **68-69**, 375-382 (2002).

ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897