

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



Stearidonic Acid ethyl ester

Item No. 10006856

CAS Registry No.: Formal Name:	119798-44-6 6Z,9Z,12Z,15Z-octadecatetraenoic acid,	
	ethyl ester	
Synonyms:	Ethyl Stearidonate, Moroctic Acid ethyl	
	ester	
MF:	$C_{20}H_{32}O_2$	1 ₂ CH ₃
FW:	304.5	
Purity:	≥98%	
Supplied as:	A solution in ethanol	
Storage:	-20°C	
Stability:	≥1 year	
Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.		

Laboratory Procedures

Stearidonic acid ethyl ester is supplied as a solution in ethanol. To change the solvent, simply evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as DMSO and dimethyl formamide purged with an inert gas can be used. The solubility of stearidonic acid ethyl ester in these solvents is at least 30 mg/ml.

Stearidonic acid ethyl ester is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, the ethanolic solution of stearidonic acid ethyl ester should be diluted with the aqueous buffer of choice. Stearidonic acid ethyl ester has a solubility of 0.25 mg/ml in a 1:2 solution of ethanol:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

Stearidonic acid (18:4 ω -3) is a rare polyunsaturated fatty acid of the ω -3 series. In normal humans, it represents less than 0.25% of serum phospholipid fatty acids.¹ It is present in certain natural oils such as echium and black currant seed, and to the extent that these oils are incorporated into nutraceuticals, stearidonic acid can become a significant polyunsaturate in the human diet. Stearidonic acid ethyl ester is an ester version of the free acid that is less water soluble, but more amenable for the formulation of stearidonate-containing diets and dietary supplements.

Reference

1. Holman, R.T. Control of polyunsaturated acids in tissue lipids. J. Am. Coll. Cardiol. 5, 183-211 (1986).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/05/2017

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM