

## Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

# **PRODUCT** INFORMATION



(R)-Roscovitine

Item No. 10009569

| CAS Registry No.:  | 186692-46-6                                      |         |
|--|--|---------|
| Formal Name:   | 2-[[9-(1-methylethyl)-6-[(phenylmethyl)          |         |
|  | amino]-9H-purin-2-yl]amino]-1-butanol            | Ť       |
| MF:  | C <sub>19</sub> H <sub>26</sub> N <sub>6</sub> O | H       |
| FW:  | 354.5  | N       |
| Purity:  | ≥98%   | HONN    |
| UV/Vis.:   | λ <sub>max</sub> : 231, 291 nm                   | I, II > |
| Supplied as:   | A crystalline solid                              | N N     |
| Storage:   | -20°C  | H >     |
| Stability:   | ≥2 years   |         |
| Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis. |  |         |

#### Laboratory Procedures

(R)-Roscovitine is supplied as a crystalline solid. A stock solution may be made by dissolving the (R)-roscovitine in the solvent of choice. (R)-Roscovitine is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide, which should be purged with an inert gas. The solubility of (R)-roscovitine in these solvents is approximately 30, 50, and 3 mg/ml, respectively.

(R)-Roscovitine is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, (R)-roscovitine should first be dissolved in ethanol and then diluted with the aqueous buffer of choice. (R)-Roscovitine has a solubility of approximately 0.3 mg/ml in a 1:2 solution of ethanol:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

#### Description

Cyclin-dependent kinases (CDKs) are key regulators of cell cycle progression and are therefore promising targets for cancer therapy. (R)-Roscovitine is a potent inhibitor of Cdk2/cyclin E with an IC<sub>50</sub> value of 0.1  $\mu$ M.<sup>1</sup> It also inhibits Cdk7/cyclin H, Cdk5/p35, and cell division cycle (cdc)/cyclin B with IC<sub>50</sub> values of 0.49, 0.16, and 0.65  $\mu$ M, respectively.<sup>1-3</sup> (R)-Roscovitine inhibits the growth of rapidly proliferating cells with an average IC<sub>50</sub> value of 15.2  $\mu$ M against a panel of 19 human tumor cell lines.<sup>1</sup> In murine models of polycystic kidney disease, (R)-roscovitine effectively inhibited disease progression at doses of 50-100 mg/kg.4

#### References

- 1. McClue, S.J., Blake, D., Clarke, R., et al. In vitro and in vivo antitumor properties of the cyclin dependent kinase inhibitor CYC202 (R-roscovitine). Int. J. Cancer 102, 463-468 (2002).
- 2. Meijer, L., Borgne, A., Mulner, O., et al. Biochemical and cellular effects of roscovitine, a potent and selective inhibitor of the cyclin-dependent kinases cdc2, cdk2 and cdk5. Eur. J. Biochem. 243, 527-536 (1997).
- 3. Havlícek, L., Hanuš, J., Veselý, J., et al. Cytokinin-derived cyclin-dependent kinase inhibitors: Synthesis and cdc2 inhibitory activity of olomoucine and related compounds. J. Med. Chem. 40, 408-412 (1997).
- 4. Bukanov, N.O., Smith, L.A., Klinger, K.W., et al. Long-lasting arrest of murine polycystic kiney disease with CDK inhibitor roscovitine. Nature Letters 444, 949-952 (2006).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/27/2019

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM