

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



SIRT4 (human recombinant)

Item No. 10317

Overview and Properties

NAD-dependent ADP-ribosyltransferase Sirtuin 4, Silent Information Regulator 4, SIR2L4, Synonyms:

SIR2-like Protein 4, Sirtuin 4

Source: Recombinant N-terminal GST-tagged enzyme expressed in E. coli

Amino Acids: 1-314 (full-length)

Uniprot No.: Q9Y6E7

Batch specific information can be found on the Certificate of Analysis or by contacting Technical Support

Molecular Weight: 61.9 kDa

-80°C (as supplied) Storage:

Stability: ≥9 months

batch specific (≥95% estimated by SDS-PAGE) **Purity:**

Supplied in: batch specific


Protein

Concentration: batch specific

Additional

Information: This protein has not been tested for enzyme activity.

Image



Lane 2: SIRT4 (1 µg) Lane 3: SIRT4 (2 µg) Lane 4: SIRT4 (5 µg)

Representative gel image shown; actual purity may vary between each batch but protein will be ≥95% pure.

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 05/18/2016

CAYMAN CHEMICAL 1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897 [734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

There are seven human sirtuins, also known as class III HDACs, which have been designated SIRT1-SIRT7. Each is involved in various post-translational modifications by utilizing NAD dependent deacetylase and ADP-ribosyltransferase activities. SIRT4 is a mitochondrial ADP-ribosyltransferase responsible for the transfer of ADP-ribose from NAD to specific substrates such as glutamate dehydrogenase (GDH). In caloric-sufficient conditions, SIRT4 ADP-ribosylates GDH, repressing its activity and correspondingly decreasing insulin secretion. There is some uncertainty about the relevance of sirtuin ribosyl transferase activity due to its very slow rate, which is about 500 times lower than the corresponding deacetylation reaction (for those that have been characterized). SIRT4 is found in many tissues, but is specifically enriched in the kidney, heart, brain, and liver.

References

- 1. Ahuja, N., Schwer, B., Carobbio, S., et al. Regulation of insulin secretion by SIRT4, a mitochondrial ADP-ribosyltransferase. J. Biol. Chem. 282(46), 33583-33592 (2007).
- 2. Haigis, M.C., Mostoslavsky, R., Haigis, K.M., *et al.* SIRT4 inhibits glutamate dehydrogenase and opposes the effects of calorie restriction in pancreatic β cells. *Cell* **126**, 941-954 (2006).
- 3. Du, J., Jiang, H., and Lin, H. Investigating the ADP-ribosyltransferase activity of sirtuins with NAD analogues and 32P-NAD. *Biochemistry* **48**, 2878-2890 (2009).