



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION




## Paxilline

Item No. 11345

**CAS Registry No.:** 57186-25-1  
**Formal Name:** 5,6,6a,7,12,12bS,12cR,13,14,14aS-decahydro-4bS-hydroxy-2R-(1-hydroxy-1-methylethyl)-12b,12c-dimethyl-2H-1-benzopyrano[5',6':6,7]indeno[1,2-b]indole-3(4bH)-one

**MF:** C<sub>27</sub>H<sub>33</sub>NO<sub>4</sub>  
**FW:** 435.6  
**Purity:** ≥98%  
**UV/Vis.:** λ<sub>max</sub>: 231, 283 nm  
**Supplied as:** A crystalline solid  
**Storage:** -20°C  
**Stability:** ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

Paxilline is supplied as a crystalline solid. A stock solution may be made by dissolving the paxilline in the solvent of choice, which should be purged with an inert gas. Paxilline is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF). The solubility of paxilline in ethanol is approximately 10 mg/ml and approximately 30 mg/ml in DMSO and DMF.

Paxilline is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, paxilline should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. Paxilline has a solubility of approximately 0.25 mg/ml in a 1:3 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

### Description

Paxilline is an indole diterpene from fungi which potently and reversibly inhibits large conductance Ca<sup>2+</sup>-activated K<sup>+</sup> (BKCa) channels, as shown in patch clamp (K<sub>i</sub> = 1.9 nM) and whole smooth muscle cell studies (K<sub>i</sub> = 35.7 nM).<sup>1,2</sup> It also enhances the binding of charybdotoxin (Item No. 24115), a peptidyl neurotoxin, to BKCa channels.<sup>3</sup> Paxilline is currently used to evaluate the role of BKCa channels in various cell processes and responses.<sup>4,5</sup>

### References

1. Sanchez, M. and McManus, O.B. Paxilline inhibition of the alpha-subunit of the high-conductance calcium-activated potassium channel. *Neuropharmacology* **35**(7), 963-968 (1996).
2. Li, G. and Cheung, D.W. Effects of paxilline on K<sup>+</sup> channels in rat mesenteric arterial cells. *Eur. J. Pharmacol.* **372**, 103-107 (1999).
3. Knaus, H.-G., McManus, O.B., Lee, S.H., et al. Tremorgenic indole alkaloids potently inhibit smooth muscle high-conductance calcium-activated potassium channels. *Biochemistry* **33**(19), 5819-5828 (1994).
4. Jackson-Weaver, O., Paredes, D.A., Gonzalez Bosc, L.V., et al. Intermittent hypoxia in rats increases myogenic tone through loss of hydrogen sulfide activation of large-conductance Ca<sup>2+</sup>-activated potassium channels. *Circ. Res.* **108**(12), 1439-1447 (2011).
5. Tajima, N., Itokazu, Y., Korpi, E.R., et al. Activity of BK<sub>Ca</sub> channel is modulated by membrane cholesterol content and association with Na<sup>+</sup>/K<sup>+</sup>-ATPase in human melanoma IGR39 cells. *J. Biol. Chem.* **286**(7), 5624-5638 (2011).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/11/2022

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897  
[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM