



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION



JWH 398 N-(5-hydroxypentyl) metabolite-d₅

Item No. 14371

CAS Registry No.: 2748469-33-0

Formal Name: (4-chloronaphthalen-1-yl)(1-(5-hydroxypentyl)-1H-indol-3-yl-2,4,5,6,7-d₅)methanone

MF: C₂₄H₁₇ClD₅NO₂

FW: 396.9

Chemical Purity: ≥98% (JWH 398 N-(5-hydroxypentyl) metabolite)

Deuterium


Incorporation: ≥99% deuterated forms (d₁-d₅); ≤1% d₀

UV/Vis.: λ_{max}: 221, 311, 417 nm

Supplied as: A solution in acetonitrile

Storage: -20°C

Stability: ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Description

JWH 398 N-(5-hydroxypentyl) metabolite-d₅ (Item No. 14371) is intended for use as an internal standard for the quantification of JWH 398 N-(5-hydroxypentyl) metabolite (Item No. 9000770) by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

JWH 398 is a synthetic cannabinoid (CB) that activates both CB₁ and CB₂ receptors (K_i = 2.3 and 2.8 nM, respectively).¹ It has been reported to be an adulterant of herbal products.²⁻³ JWH 398 N-(5-hydroxypentyl) metabolite is a potential metabolite of JWH 398. Metabolism of structurally similar compounds leads to monohydroxylation of the N-alkyl chain, detectable in urine.⁴

References

1. Huffman, J.W. Cannabimimetic indoles, pyrroles, and indenes: Structure-activity relationships and receptor interactions. *The cannabinoid receptors*. Reggio, P.H., editor, Humana (2009).
2. Kikura-Hanajiri, R., Uchiyama, N., and Goda, Y. Survey of current trends in the abuse of psychotropic substances and plants in Japan. *Leg. Med. (Tokyo)* **13**(3), 109-15 (2011).
3. Dresen, S., Ferreira, N., Pütz, M., et al. Monitoring of herbal mixtures potentially containing synthetic cannabinoids as psychoactive compounds. *J. Mass Spectrom.* **45**(10), 1186-94 (2010).
4. Sobolevsky, T., Prasolov, I., and Rodchenkov, G. Detection of JWH-018 metabolites in smoking mixture post-administration urine. *Forensic Sci. Int.* **200**(1-3), 141-147 (2010).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM