



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION



Borrelidin

Item No. 14436

CAS Registry No.: 7184-60-3

Formal Name: (1R)-2R-[7-cyano-8R,16S-dihydroxy-9S,11R,13S,15S-tetramethyl-18-oxooxacyclooctadeca-4E,6Z-dien-2S-yl]-cyclopentanecarboxylic acid

Synonyms: NSC 216128, Treponemycin

MF: $C_{28}H_{43}NO_6$

FW: 489.6


Purity: $\geq 98\%$

Supplied as: A powder

Storage: -20°C

Stability: ≥ 2 years

Item Origin: *Bacterium/Streptomyces* sp.



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Borrelidin is supplied as a powder. A stock solution may be made by dissolving the borrelidin in the solvent of choice. Borrelidin is soluble in organic solvents such as chloroform, DMSO, and methanol, which should be purged with an inert gas.

Description

Borrelidin is a secondary metabolite produced by *Streptomyces* and other bacteria. It displays potent antiangiogenic activity, preventing tube formation in rat aorta explants ($IC_{50} = 0.8$ nM) and inducing apoptosis in endothelial cells.^{1,2} Borrelidin also alters the splicing of VEGF mRNA, producing an antiangiogenic isoform of the growth factor.³ It has long been known as a powerful inhibitor of both eukaryotic and bacterial threonyl tRNA synthetase.⁴ Borrelidin is also an effective anti-malarial drug, as it kills *P. falciparum* with an IC_{50} value of 1.8 nM.⁵ At higher doses, it inhibits cyclin-dependent kinase in yeast ($IC_{50} = 24$ μM), resulting in growth arrest in the G_1 phase.⁶

References

1. Wakabayashi, T., Kageyama, R., Naruse, N., *et al.* Borrelidin is an angiogenesis inhibitor; Disruption of angiogenic capillary vessels in a rat aorta matrix culture model. *J. Antibiot.* **50**(8), 671-676 (1997).
2. Kawamura, T., Liu, D., Towle, M.J., *et al.* Anti-angiogenesis effects of borrelidin are mediated through distinct pathways: Threonyl-tRNA synthetase and caspases are independently involved in suppression of proliferation and induction of apoptosis in endothelial cells. *J. Antibiot.* **56**(8), 709-715 (2003).
3. Woolard, J., Vousden, W., Moss, S.J., *et al.* Borrelidin modulates the alternative splicing of VEGF in favour of anti-angiogenic isoforms. *Chem. Sci.* **2011**(2), 273-278 (2011).
4. Paetz, W. and Nass, G. Biochemical and immunological characterization of threonyl-tRNA synthetase of two borrelidin-resistant mutants of *Escherichia coli* K12. *Eur. J. Biochem.* **35**(2), 331-337 (1973).
5. Otoguro, K., Ui, H., Ishiyama, A., *et al.* *In vitro* and *in vivo* antimalarial activities of a non-glycosidic 18-membered macrolide antibiotic, borrelidin, against drug-resistant strains of *Plasmodia*. *J. Antibiot.* **56**(8), 727-729 (2003).
6. Tsuchiya, E., Yukawa, M., Miyakawa, T., *et al.* Borrelidin inhibits a cyclin-dependent kinase (CDK), Cdc28/Cln2, of *Saccharomyces cerevisiae*. *J. Antibiot.* **54**(1), 84-90 (2001).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/09/2019

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM