

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION PHA-665752



Item No. 14703

Formal Name: $(3Z)-5-[[(2,6-dichlorophenyl)] methyl]sulfonyl]-3-[[3,5-dimethyl]-4-[[(2R)-2-(1-pyrrolidinylmethyl)-1-pyrrolidinyl]carbonyl]-1H-pyrrol-2-yl]methylene]-1,3-dihydro-2H-indol-2-oneMF: C_{32}H_{34}Cl_2N_4O_4SFW: 641.6$	
$\begin{array}{c} methyl]sulfonyl]-3-[[3,5-dimethyl-\\ 4-[[(2R)-2-(1-pyrrolidinylmethyl)-\\ 1-pyrrolidinyl]carbonyl]-1H-pyrrol-\\ 2-yl]methylene]-1,3-dihydro-2H-\\ indol-2-one\\ \textbf{MF:} \qquad C_{32}H_{34}Cl_2N_4O_4S\\ \textbf{FW:} \qquad 641.6\\ \textbf{Puriter} \qquad >98\% \end{array}$	
$\begin{array}{c} 4-[[(2R)-2-(1-pyrrolidinylmethyl)-\\ 1-pyrrolidinyl]carbonyl]-1H-pyrrol-\\ 2-yl]methylene]-1,3-dihydro-2H-\\ indol-2-one\\ MF: \\ C_{32}H_{34}Cl_2N_4O_4S\\ FW: \\ 641.6\\ Puriter \\ >98\% \end{array}$	
$\begin{array}{c} 1-pyrrolidinyl]carbonyl]-1H-pyrrol-\\ 2-yl]methylene]-1,3-dihydro-2H-\\ indol-2-one\\ MF: \\ C_{32}H_{34}Cl_{2}N_{4}O_{4}S\\ FW: \\ 641.6\\ Puriter \\ >98\% \end{array}$	
$\begin{array}{c c} & 2-yl]methylene]-1,3-dihydro-2H- & 0 & 0 \\ & indol-2-one & & & \\ \mathbf{MF:} & \mathbf{C}_{32}\mathbf{H}_{34}\mathbf{Cl}_{2}\mathbf{N}_{4}\mathbf{O}_{4}\mathbf{S} & & & & \\ \mathbf{FW:} & 641.6 & & & & & \\ \mathbf{Puriter} & \geq 98\% & & & & \\ \end{array}$	
indol-2-one MF: $C_{32}H_{34}Cl_2N_4O_4S$ FW: 641.6 Purity: >98%	
MF: $C_{32}H_{34}Cl_2N_4O_4S$ FW: 641.6	
FW: 641.6	
Durity: >98%	\checkmark
UV/Vis.: λ _{max} : 309, 439 nm	N
Supplied as: A crystalline solid	
Storage: -20°C	
Stability: As supplied, 2 years from the QC date provided on the Certificate of Anal stored properly	ysis, when

Laboratory Procedures

PHA-665752 is supplied as a crystalline solid. A stock solution may be made by dissolving the PHA-665752 in the solvent of choice. PHA-665752 is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of PHA-665752 in these solvents is approximately 1, 10, and 25 mg/ml, respectively.

PHA-665752 is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, PHA-665752 should first be dissolved in DMF and then diluted with the aqueous buffer of choice. PHA-665752 has a solubility of approximately 0.5 mg/ml in a 1:1 solution of DMF:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

The c-Met receptor tyrosine kinase and its ligand, hepatocyte growth factor, have been implicated in the development and progression of several human cancers.¹ PHA-665752 is an ATP-competitive, active-site inhibitor of the catalytic activity of c-Met kinase ($K_i = 4 \text{ nM}$; $IC_{50} = 9 \text{ nM}$).² It exhibits >50-fold selectivity for c-Met over a panel of tyrosine and serine/threonine kinases. PHA-665752 can inhibit c-Met phosphorylation, as well as cell proliferation and cell motility, of various tumor cells (IC₅₀s = 18-50 nM).² It also inhibits signal transduction downstream of c-Met, interfering with the activation of Gab-1 adaptor protein, ERK1/2, Akt, STAT3, PLC-γ, and focal adhesion kinase in multiple tumor cell lines.² In a gastric carcinoma xenograft model, 25 mg/kg PHA-665752 was shown to reduce tumor growth in mice by inhibiting c-Met activation.²

References

- 1. Mughal, A., Aslam, H.M., Sheikh, A., et al. c-Met inhibitors. Infect. Agent. Cancer 8, 13 (2013).
- 2. Christensen, J.G., Schreck, R., Burrows, J., et al. A selective small molecule inhibitor of c-Met kinase inhibits c-Met-dependent phenotypes in vitro and exhibits cytoreductive antitumor activity in vivo. Cancer Res. 63(21), 7345-7355 (2003).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

uyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/14/2016

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM