

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



UK 383367

Item No. 15029

CAS Registry No.: 348622-88-8

Formal Name: (βR)-3-(aminocarbonyl)-β-(3-

cyclohexylpropyl)-N-hydroxy-


1,2,4-oxadiazole-5-propanamide

MF: $C_{15}H_{24}N_4O_4$ FW: 324.4 **Purity:** ≥98%

Supplied as: A crystalline solid

Storage: -20°C Stability: ≥2 vears

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Laboratory Procedures

UK 383367 is supplied as a crystalline solid. A stock solution may be made by dissolving the UK 383367 in the solvent of choice. UK 383367 is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of UK 383367 in ethanol and DMF is approximately 16 mg/ml and approximately 25 mg/ml in DMSO.

UK 383367 is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, UK 383367 should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. UK 383367 has a solubility of approximately 0.16 mg/ml in a 1:5 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

UK 383367 is a potent inhibitor of bone morphogenetic protein 1 (BMP1; IC_{50} = 44 nM).^{1,2} It is more than 200-fold selective for BMP1 over a panel of matrix metalloproteinases. UK 383367 is effective in a cell-based model of collagen deposition and is very effective at penetrating human skin in vitro.²

References

- 1. Fish, P. V., Allan, G. A., Bailey, S., et al. Potent and selective nonpeptidic inhibitors of procollagen C-proteinase. J. Med. Chem. 509(15), 3442-3456 (2007).
- 2. Bailey, S., Fish, P. V., Billotte, S., et al. Succinyl hydroxamates as potent and selective non-peptidic inhibitors of procollagen C-proteinase: Design, synthesis, and evaluation as topically applied, dermal anti-scarring agents. Bioorg. Med. Chem. Lett. 18(24), 6562-6567 (2008).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information Buyer agrees to purchase the material can be found on our website.

Copyright Cayman Chemical Company, 11/05/2018

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM