



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)


[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION

## Ramiprilat

Item No. 15557

**CAS Registry No.:** 87269-97-4  
**Formal Name:** (2S,3aS,6aS)-1-[[[(2S)-2-[[[(1S)-1-carboxy-3-phenylpropyl]amino]-1-oxopropyl]octahydrocyclopenta[b]pyrrole-2-carboxylic acid  
**Synonym:** Ramipril Diacid  
**MF:** C<sub>21</sub>H<sub>28</sub>N<sub>2</sub>O<sub>5</sub>  
**FW:** 388.5  
**Purity:** ≥98%  
**Stability:** ≥2 years at -20°C  
**Supplied as:** A crystalline solid



### Laboratory Procedures

For long term storage, we suggest that ramiprilat be stored as supplied at -20°C. It should be stable for at least two years.

Ramiprilat is supplied as a crystalline solid. A stock solution may be made by dissolving the ramiprilat in the solvent of choice. Ramiprilat is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of ramiprilat in ethanol is approximately 1 mg/ml and approximately 30 mg/ml in DMSO and DMF.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. Organic solvent-free aqueous solutions of ramiprilat can be prepared by directly dissolving the crystalline solid in aqueous buffers. The solubility of ramiprilat in PBS, pH 7.2, is approximately 10 mg/ml. We do not recommend storing the aqueous solution for more than one day.

### Description

Ramiprilat is the active metabolite of ramipril (Item No. 15558) and functions as an angiotensin-converting enzyme inhibitor ( $pK_i = 9.08$  in human heart) to suppress the conversion of angiotensin I to angiotensin II and the degradation of bradykinin, thereby preventing vasoconstriction.<sup>1,2</sup> Furthermore, ramiprilat is reported to interfere with the targeting of B<sub>2</sub> kinin receptors to endothelial cell membranes further preventing bradykinin signaling.<sup>2</sup> In addition to its cardioprotective effects in both animal models and clinical studies, ramiprilat has been reported to inhibit matrix metalloproteinase-3 and -9 activity in isolated Crohn's disease fistulas.<sup>3,4</sup>

### References

1. Vago, T., Bevilacqua, M., Conci, F., *et al.* Angiotensin converting enzyme binding sites in human heart and lung: Comparison with rat tissues. *Br. J. Pharmacol.* **107**(3), 821-825 (1992).
2. Benzing, T., Fleming, I., Blaukat, A., *et al.* Angiotensin-converting enzyme inhibitor ramiprilat interferes with the sequestration of the B<sub>2</sub> kinin receptor within the plasma membrane of native endothelial cells. *Circulation* **99**(15), 2034-2040 (1999).
3. Yusuf, S., Sleight, P., Pogue, J., *et al.* Effects of an angiotensin-converting-enzyme inhibitor, ramipril, on cardiovascular events in high-risk patients. *N. Engl. J. Med.* **342**(3), 145-153 (2000).
4. Efsen, E., Sermark, T., Hansen, A., *et al.* Ramiprilate inhibits functional matrix metalloproteinase activity in Crohn's disease fistulas. *Basic Clin. Pharmacol. Toxicol.* **109**(3), 208-216 (2011).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 03/04/2016

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897

[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM