

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



# PRODUCT INFORMATION



# 7-Methylguanosine

Item No. 15988

CAS Registry No.: 20244-86-4

Formal Name: 7-methyl-guanosine

Synonym:

MF: C<sub>11</sub>H<sub>15</sub>N<sub>5</sub>O<sub>5</sub> 297.3

FW: **Purity:** 

 $\lambda_{max}$ : 261, 283 nm A crystalline solid UV/Vis.: Supplied as:

-20°C Storage: Stability: ≥4 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### **Laboratory Procedures**

7-Methylguanosine is supplied as a crystalline solid. A stock solution may be made by dissolving the 7-methylguanosine in the solvent of choice, which should be purged with an inert gas. 7-Methylguanosine is soluble in organic solvents such as DMSO and 0.1 M HCl. The solubility of 7-Methylguanosine in these solvents is approximately 10 mg/ml.

#### Description

7-Methylguanosine is a methylated form of the purine nucleoside guanosine (Item No. 27702). It is an RNA modification that is present in the 5'-terminal cap of mRNA, where it promotes translation, as well as in tRNA, where it stabilizes the tRNA structure. <sup>1,2</sup> 7-Methylguanosine has been used as a substrate to measure the activity of purine nucleoside phosphorylase (PNP). Urinary 7-methylguanosine levels are decreased in patients with prostate cancer. 1

#### References

- 1. Fernández-Peralbo, M.A., Gómez-Gómez, E., Calderón-Santiago, M., et al. Prostate cancer patients-negative biopsy controls discrimination by untargeted metabolomics analysis of urine by LC-QTOF: Upstream information on other omics. Sci. Rep. 6, 38243 (2016).
- 2. Tomikawa, C. 7-Methylguanosine modifications in transfer RNA (tRNA). Int. J. Mol. Sci. 19(12), 4080
- 3. Stachelska-Wierzchowska, A. and Wierzchowski, J. Non-typical nucleoside analogs as fluorescent and fluorogenic indicators of purine-nucleoside phosphorylase activity in biological samples. Anal. Chim. Acta **1139**, 119-128 (2020).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

## WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 03/25/2024

### **CAYMAN CHEMICAL**

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM