

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



RICK Polyclonal Antibody

Item No. 160785

Overview and Properties

This vial contains 500 µl of peptide affinity-purified polyclonal antibody. Contents:

Synonyms: CARDIAK, Rip2, Ripk2

Immunogen: Synthetic peptide from the N-terminal region of human RICK

Species Reactivity: (+) Human, mouse, and rat; other species not tested

Uniprot No.: O43353 Form: Liquid

-20°C (as supplied) Storage:

Stability: ≥3 years

Storage Buffer: TBS, pH 7.4, with 50% glycerol, 0.05% BSA, and 0.02% sodium azide

Host:

Western blot; the recommended starting dilution is 1:200. Other applications were Applications:

not tested, therefore optimal working concentration/dilution should be determined

empirically.

Image

1



Lane 1: 293 T cell lysate

Lane 2: RICK transfected 293 T cell lysate

Lane 3: RICK transfected 293 T cell lysate

Lane 4: HeLa cell lysate

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/17/2023

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

Apoptosis is mediated by death domain (DD) and/or caspase recruitment domain (CARD) containing molecules and a caspase family of proteases. The DD-containing serine/threonine kinase RIP regulates Fas-induced apoptosis. A novel CARD-containing serine/threonine kinase that regulates apoptosis was recently identified and designated RICK for RIP-like interacting CLARP kinase. RICK contains an N-terminal kinase catalytic domain and a C-terminal CARD domain. The RICK kinase domain has high sequence homology to that of RIP. Overexpression of RICK promotes the activation of caspase-8 and Fas-induced apoptosis. RICK represents a novel kinase that regulates Fas-induced apoptosis. The mRNA for RICK is expressed in multiple human tissues. RICK interacts with several Nod and T-cell receptor proteins and thereby confers signal transduction for innate and adaptive immune system responses. Page 10 containing molecules and caspase family of proteins and thereby confers signal transduction for innate and adaptive immune system responses.

References

- 1. Inohara, N., del Peso, L., Koseki, T., et al. RICK, a novel protein kinase containing a caspase recruitment domain, interacts with CLARP and regulates CD95-mediated apoptosis. *J. Biol. Chem.* **273(29)**, 12296-12300 (1998).
- 2. Kobayashi, K., Inohara, N., Hernandez, L.D., et al. RICK/Rip2/CARDIAK mediates signalling for receptors of the innate and adaptive immune systems. *Nature* **416(6877)**, 194-199 (2002).

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335 FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM