

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



SGC707

Item No. 17017

CAS Registry No.: 1687736-54-4

Formal Name: N-6-isoquinolinyl-N'-[2-oxo-2-(1-

pyrrolidinyl)ethyl]-urea

MF: $C_{16}H_{18}N_4O_2$ FW: 298.3 **Purity:** ≥98%

Stability: ≥2 year at -20°C Supplied as: A crystalline solid λ_{max} : 248, 294 nm UV/Vis.:

Laboratory Procedures

For long term storage, we suggest that SGC707 be stored as supplied at -20°C. It should be stable for at least two years.

SGC707 is supplied as a crystalline solid. A stock solution may be made by dissolving the SGC707 in the solvent of choice. SGC707 is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of SGC707 in ethanol is approximately 5 mg/ml and approximately 2 mg/ml in DMSO and DMF.

SGC707 is sparingly soluble in aqueous solutions. To enhance aqueous solubility, dilute the organic solvent solution into aqueous buffers or isotonic saline. If performing biological experiments, ensure the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. We do not recommend storing the aqueous solution for more than one day.

Description

Protein arginine N-methyltransferase 3 (PRMT3, Item No. 11642) is a predominantly cytoplasmic enzyme that is constitutively expressed. 1,2 SGC707 is a potent allosteric inhibitor of PRMT3 (IC₅₀ = 50 nM) with >100-fold selectivity over other methyltransferases and other non-epigenetic targets. Developed by the Structural Genomics Consortium (SGC), SGC707 avidly binds PRMT3 (K_d = 50 nM by isothermal titration calorimetry) and inhibits the methylation of histones in cells with an IC₅₀ value below 1 μ M.

References

- 1. Tang, J., Gary, J.D., Clarke, S., et al. PRMT3, a type I protein arginine N-methyltransferase that differs from PRMT1 in its oligomerization, subcellular localization, substrate specificity, and regulation. J. Biol. Chem. 273(27), 16935-16945 (1998).
- 2. Wolf, S.S. The protein arginine methyltransferase family: An update about function, new perspectives and the physiological role in humans. Cell. Mol. Life Sci. 66, 2109-2121 (2009).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/13/2015

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM