



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



ML314

Item No. 19550

CAS Registry No.: 1448895-09-7
Formal Name: 2-cyclopropyl-6,7-dimethoxy-4-[4-(2-methoxyphenyl)-1-piperazinyl]-quinazoline
MF: C₂₄H₂₈N₄O₃
FW: 420.5
Purity: ≥98%
UV/Vis.: λ_{max}: 250, 318, 342 nm
Supplied as: A crystalline solid
Storage: -20°C
Stability: ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

ML314 is supplied as a crystalline solid. A stock solution may be made by dissolving the ML314 in the solvent of choice. ML314 is soluble in the organic solvent DMSO, which should be purged with an inert gas, at concentrations of up to >100 mM.

Description

ML314 is a neurotensin-1 receptor (NTS₁) agonist.^{1,2} It is selective for NTS₁ over NTS₂ in a cell-based assay of receptor/β-arrestin complex formation (EC₅₀s = 2 and >80 μM, respectively) but is inactive in an NTS₁ calcium flux assay (EC₅₀ = >80 μM) indicating that, in contrast to other NTS₁ agonists, it does not signal through the traditional G_q-coupled pathway.² ML314 is also a positive allosteric modulator of NTS₁ that increases binding of radiolabeled neurotensin (Item No. 24717) to NTS₁ in a concentration-dependent manner.¹ It reduces locomotion in dopamine transporter knockout mice and methamphetamine-exposed mice when administered at doses of 20 and 10 to 30 mg/kg, respectively.² ML314 (30 mg/kg) also reduces methamphetamine self-administration in rats.

References

1. Barak, L.S., Bai, Y., Peterson, S., *et al.* ML314: A biased neurotensin receptor ligand for methamphetamine abuse. *ACS Chem Biol.* **11**(7), 1880-1890 (2016).
2. Peddibhotla, S., Hedrick, M.P., Hershberger, P.A., *et al.* Discovery of ML314, a brain penetrant non-peptidic β-arrestin biased agonist of the neurotensin NTR1 receptor. *ACS Med. Chem. Lett.* **4**(9), 846-851 (2013).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 07/31/2018

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM