



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



PRODUCT INFORMATION



GSK583

Item No. 19739


CAS Registry No.: 1346547-00-9
Formal Name: 6-[(1,1-dimethylethyl)sulfonyl]-N-(5-fluoro-1H-indazol-3-yl)-4-quinolinamine

MF: C₂₀H₁₉FN₄O₂S
FW: 398.5
Purity: ≥98%
UV/Vis.: λ_{max}: 222, 352 nm

Supplied as: A crystalline solid

Storage: -20°C

Stability: As supplied, 2 years from the QC date provided on the Certificate of Analysis, when stored properly



Laboratory Procedures

GSK583 is supplied as a crystalline solid. A stock solution may be made by dissolving the GSK583 in the solvent of choice. GSK583 is soluble in the organic solvent dimethyl formamide (DMF), which should be purged with an inert gas, at a concentration of approximately 30 mg/ml.

GSK583 is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, GSK583 should first be dissolved in DMF and then diluted with the aqueous buffer of choice. GSK583 has a solubility of approximately 0.1 mg/ml in a 1:9 solution of DMF:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

GSK583 is a selective inhibitor of RIP-like interacting CLARP kinase RICK also known as RIP2 kinase; IC₅₀ = 5 nM).¹ RIP2 Kinase is a central component of the innate immune system and enables downstream signaling following activation of the pattern recognition receptors NOD1 and NOD2, leading to the production of inflammatory cytokines. In an *ex vivo* human translational model using intestinal mucosal tissue from inflammatory bowel disease patients, GSK583 inhibited both TNF-α and IL-6 production with an IC₅₀ value of 200 nM.¹

Reference

1. Haile, P. A., Votta, B. J., Marquis, R. W., *et al.* The identification and pharmacological characterization of 6-(tert-butylsulfonyl)-N-(5-fluoro-1H-indazol-3-yl)quinolin-4-amine (GSK583), a highly potent and selective inhibitor of RIP2 kinase. *J. Med. Chem.* **59**(10), 4867-4880 (2016).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 08/06/2016

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM