

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



Praziguantel

Item No. 20508

CAS Registry No.:	55268-74-1	^
Formal Name:	2-(cyclohexylcarbonyl)-	
	1,2,3,6,7,11b-hexahydro-4H-	
	pyrazino[2,1-a]isoquinolin-4-one	$\sim \gamma^{2}$
Synonyms:	Embay 8440, (±)-Praziquantel	
MF:	C ₁₉ H ₂₄ N ₂ O ₂	N
FW:	312.4	
Purity:	≥98%	
Supplied as:	A crystalline solid	
Storage:	-20°C	
Stability:	≥2 years	~ ~
Information represents the product specifications. Batch specific analytical results are provided on each cortificate of a		

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Praziguantel is supplied as a crystalline solid. A stock solution may be made by dissolving the praziguantel in the solvent of choice, which should be purged with an inert gas. Praziquantel is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide. The solubility of praziguantel in these solvents is approximately 10, 20, and 30 mg/ml, respectively.

Praziquantel is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, praziguantel should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. Praziquantel has a solubility of approximately 0.2 mg/ml in a 1:4 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

Praziguantel is an anthelmintic agent.^{1,2} It is lethal to S. mansoni schistosomula and adults $(LC_{50}s = 0.68 \text{ and } 0.03 \text{ mg/ml}, \text{ respectively}).^2$ Praziquantel (172 and 592 mg/kg) reduces worm burden in a mouse model of S. mansoni infection. Formulations containing praziquantel have been used in the treatment of schistosomiasis.

References

- 1. Cook, G.C. Anthelminthic agents: Some recent developments and their clinical application. Postgrad. Med. J. 67(783), 16-22 (1991).
- 2. Olliaro, P., Delgado-Romero, P. and Keiser, J. The little we know about the pharmacokinetics and pharmacodynamics of praziguantel (racemate and R-enantiomer). J. Antimicrob. Chemother. 69(4), 863-870 (2014).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/26/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM