



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION



7-*epi* Paclitaxel

Item No. 20741

CAS Registry No.: 105454-04-4

Formal Name: (αR,βS)-β-(benzoylamino)-α-hydroxy-
benzenepropanoic acid, (2aR,4R,4aS,6R,9S,1
1S,12S,12aR,12bS)-6,12b-bis(acetoxy)-12-
(benzoyloxy)-2a,3,4,4a,5,6,9,10,11,12,12a,12b-
dodecahydro-4,11-dihydroxy-4a,8,13,13-
tetramethyl-5-oxo-7,11-methano-1H-
cyclodeca[3,4]benz[1,2-b]oxet-9-yl ester

Synonym: 7-*epi* Taxol

MF: C₄₇H₅₁NO₁₄

FW: 853.9

Purity: ≥98%


UV/Vis.: λ_{max}: 226 nm

Supplied as: A crystalline solid

Storage: -20°C

Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Laboratory Procedures

7-*epi* Paclitaxel is supplied as a crystalline solid. A stock solution may be made by dissolving the 7-*epi* paclitaxel in the solvent of choice. 7-*epi* Paclitaxel is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of 7-*epi* paclitaxel in these solvents is approximately 5, 10, and 25 mg/ml, respectively.

7-*epi* Paclitaxel is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, 7-*epi* paclitaxel should first be dissolved in DMF and then diluted with the aqueous buffer of choice. 7-*epi* Paclitaxel has a solubility of approximately 0.25 mg/ml in a 1:3 solution of DMF:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

7-*epi* Paclitaxel is an active metabolite of paclitaxel (Item No. 10461), a widely used chemotherapeutic compound.¹ It is the major metabolite found in cells, although 6α-hydroxy paclitaxel (Item No. 10009027) is the major biliary metabolite of paclitaxel in humans.^{1,2} 7-*epi* Paclitaxel exhibits properties comparable to paclitaxel on both cells and *in vitro* microtubule polymerization.²

References

- Royer, I., Alvinerie, P., Armand, J.P., et al. Paclitaxel metabolites in human plasma and urine: Identification of 6 α-hydroxytaxol, 7-epitaxol and taxol hydrolysis products using liquid chromatography/atmospheric-pressure chemical ionization mass spectrometry. *Rapid Commun. Mass Spectrom.* **9**(6), 495-502 (1995).
- Ringel, I. and Horwitz, S.B. Taxol is converted to 7-epitaxol, a biologically active isomer, in cell culture medium. *J. Pharmacol. Exp. Ther.* **242**(2), 692-698 (1987).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM