



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

# PRODUCT INFORMATION



## EOS (d18:1/32:1/18:2)

Item No. 22442

**CAS Registry No.:** 1318771-31-1  
**Formal Name:** 9Z,12Z-octadecadienoic acid, (10Z)-32-[[[(1S,2R,3E)-2-hydroxy-1-(hydroxymethyl)-3-heptadecen-1-yl]amino]-32-oxo-

**Synonym:** 10-dotriaconten-1-yl ester  
C52:3 EOS (18:1/32:1(22 Z) w18:2(9Z,12Z), Esterified  $\omega$ -hydroxyacyl Sphingosine

**MF:** C<sub>68</sub>H<sub>127</sub>NO<sub>5</sub>


**FW:** 1,038.8

**Purity:**  $\geq$ 95%

**Supplied as:** A solution in dichloromethane

**Storage:** -20°C

**Stability:**  $\geq$ 1 year



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

EOS (d18:1/32:1/18:2) is supplied as a solution in dichloromethane. To change the solvent, simply evaporate the dichloromethane under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as dimethyl formamide (DMF) purged with an inert gas can be used. The solubility of EOS (d18:1/32:1/18:2) in DMF is approximately 0.15 mg/ml.

### Description

EOS is a ceramide found in the outer layer of the epidermis in mammals.<sup>1</sup> It is comprised of an  $\omega$ -hydroxy very long-chain ceramide (C28-36) esterified to the essential fatty acid linoleic acid (Item No. 90150). The consecutive regio- and stereospecific oxygenation of the linoleate portion of EOS by 12(R)-lipoxygenase (12(R)-LO) and eLOX3 is essential for the maintenance of the epidermal barrier to prevent water loss. Following oxygenation, the oxidized linoleate is hydrolyzed, leaving the  $\omega$ -hydroxy end of the very long-chain fatty acid to covalently bind the protein layer, forming the corneocyte lipid envelope and sealing the gap between the extracellular lipid lamellae and the cornified cell envelope of the corneocyte.

### Reference

1. Zheng, Y., Yun, H., Boeglin, W.E., *et al.* Lipoxygenases mediate the effect of essential fatty acid in skin barrier formation: A proposed role in releasing  $\omega$ -hydroxyceramide for construction of the corneocyte lipid envelope. *J. Biol. Chem.* **286**(27), 24046-24056 (2011).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 06/13/2019

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD

ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897

[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM