



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


# PRODUCT INFORMATION



## Hexachlorophene

Item No. 23948

**CAS Registry No.:** 70-30-4  
**Formal Name:** 2,2'-methylenebis[3,4,6-trichloro-phenol]  
**Synonyms:** Nabac, NSC 9887, NSC 49115  
**MF:** C<sub>13</sub>H<sub>6</sub>Cl<sub>6</sub>O<sub>2</sub>  
**FW:** 406.9  
**Purity:** ≥98%  
**UV/Vis.:** λ<sub>max</sub>: 300 nm  
**Supplied as:** A crystalline solid  
**Storage:** -20°C  
**Stability:** ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

Hexachlorophene is supplied as a crystalline solid. A stock solution may be made by dissolving the hexachlorophene in the solvent of choice. Hexachlorophene is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide, which should be purged with an inert gas. The solubility of hexachlorophene in these solvents is approximately 30 mg/ml.

Hexachlorophene is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, hexachlorophene should first be dissolved in ethanol and then diluted with the aqueous buffer of choice. Hexachlorophene has a solubility of approximately 0.2 mg/ml in a 1:4 solution of ethanol:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

### Description

Hexachlorophene is an organochlorine antiseptic and antibacterial biocide.<sup>1-4</sup> It is active against *S. aureus* (MIC = 1.56 µg/ml), *E. faecium* isolates from fresh produce (MICs = 5-50 mg/L), *Salmonella* isolates from meats (MICs = 2.5-25 mg/L), and *Pseudomonas* isolates from slaughterhouse surfaces (MICs = ≤0.0025-≤0.25 mg/L). Hexachlorophene inhibits severe acute coronavirus 2 (SARS-CoV-2) endoribonuclease (nsp15) in a FRET assay (IC<sub>50</sub> = 1.6 µM) and inhibits SARS-CoV-2 replication in infected Vero CCL-81 cells (IC<sub>50</sub> = 0.91 µM).<sup>5</sup> Hexachlorophene inhibits infection of mouse astrocytoma delayed brain tumor (DBT) cells by mouse hepatitis virus (MHV; IC<sub>50</sub> = 1.2 µM).<sup>6</sup> Hexachlorophene also inhibits recombinant human glutathione transferases P1-1 and A3-3 (IC<sub>50</sub>s = 9.7 and <0.16 µM, respectively) and activates KCNQ1- and KCNE1 subunit-containing voltage-gated potassium K<sub>v</sub>7 channels expressed in CHO cells (EC<sub>50</sub> = 4.61 µM).<sup>7,8</sup> *In vivo*, hexachlorophene is toxic to fasted and non-fasted rats with LD<sub>50</sub> values of 215 and 165 mg/kg, respectively.<sup>9</sup> It reduces *R. solani*-induced fruit rot in cucumber plants when applied at a concentration of 4.4 kg/ha.<sup>10</sup>

### References

1. Conradi, R.A., Vander Wyk, J.C., and Bowlus, S.B. *J. Med. Chem.* **22**(8), 1000-1002 (1979).
2. Burgos, J.G., Aguayo, C.L., Pulido, R.R., et al. *Antonie Van Leeuwenhoek* **105**(2), 413-421 (2014).
3. Garrido, A.M., Burgos, J.G., Márquez, L.F., et al. *Braz. J. Microbiol.* **46**(4), 1177-1181 (2015).
4. Lerma, L.L., Benomar, N., Casado Muñoz, M.d.C., et al. *Food Microbiol.* **51**, 33-44 (2015).
5. Chen, J., Farraj, R.A., Velazquez, D.L., et al. *J. Biol. Chem.* **11**, 105341 (2023).
6. Cao, J., Forrest, J.C., and Zhang, X. *Antiviral Res.* **114**, 1-10 (2015).
7. Musdal, Y., Hegazy, U.M., Aksoy, Y., et al. *Chem. Biol. Interact.* **205**(1), 53-62 (2013).
8. Zheng, Y., Zhu, X., Zhou, P., et al. *PLoS One* **7**(12):e51820, (2012).
9. Dashiell, O.L., and Kenney, G.L., Jr. *J. Appl. Toxicol.* **4**(6), 320-325 (1984).
10. Sciumbato, G.L. and Hegwood, C.P., Jr. *Plant Dis. Rep.* **63**(6), 482-485 (1979).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/20/2023

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897  
[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM