

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



EOS (d18:1/30:0/18:2)

Item No. 24394

CAS Registry No.: 97040-38-5

Formal Name: 30-[[2-hydroxy-1-(hydroxymethyl)-

> 3-heptadecen-1-yl]amino]-30-oxotriacontyl ester,

9,12-octadecadienoic acid Synonyms: N-(30-linoleoyloxy-triacontanoyl)-

Sphingosine, C48:2 EOS

(d18:1/30:0w18:2 (9Z,12Z))

MF: $C_{66}H_{125}NO_5$ FW: 1,012.7 **Purity:** ≥98% Supplied as: A solid -20°C Storage:

Stability: ≥4 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



EOS (d18:1/30:0/18:2) is supplied as a solid. A stock solution may be made by dissolving the EOS (d18:1/30:0/18:2) in the solvent of choice, which should be purged with an inert gas. EOS (d18:1/30:0/18:2) is soluble in chloroform, methanol, and dimethyl formamide.

Description

EOS is a ceramide found in the outer layer of the epidermis in mammals. It is comprised of an ω -hydroxy very long-chain ceramide (C28-36) esterified to the essential fatty acid linoleic acid (Item No. 90150). The consecutive regio- and stereospecific oxygenation of the linoleate portion of EOS by 12(R)-lipoxygenase (12(R)-LO) and eLOX3 is essential for the maintenance of the epidermal barrier to prevent water loss. Following oxygenation, the oxidized linoleate is hydrolyzed, leaving the ω-hydroxy end of the very long-chain fatty acid to covalently bind the protein layer, forming the corneocyte lipid envelope and sealing the gap between the extracellular lipid lamellae and the cornified cell envelope of the corneocyte. EOS (d18:1/30:0/18:2) is a sphingolipid that has been found in intact and desquamated human stratum corneum as well as porcine epidermis.^{2,3}

References

- 1. Zheng, Y., Yun, H., Boeglin, W.E., et al. Lipoxygenases mediate the effect of essential fatty acid in skin barrier formation: A proposed role in releasing omega-hydroxyceramide for construction of the corneocyte lipid envelope. J. Biol. Chem. 286(27), 24046-24056 (2011).
- 2. Long, S.A., Wertz, P.W., Strauss, J.S., et al. Human stratum corneum polar lipids and desquamation. Arch. Dermatol. Res. 277(4), 284-287 (1985).
- 3. Wertz, P.W., Abraham, W., Cho, E.S., et al. Linoleate-rich O-acylsphingolipids of mammalian epidermis: Structures and effects of essential fatty acid deficiency. Prog. Lipid Res. 25, 383-389 (1986).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information Buyer agrees to purchase the mater can be found on our website.

Copyright Cayman Chemical Company, 12/06/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM