



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION

Erythromycin-¹³C-d₃

Item No. 25310

Formal Name: (3R,4S,5S,6R,7R,9R,11R,12R,13S,14R)-14-ethyl-7,12,13-trihydroxy-4-(((2R,4R,5S,6S)-5-hydroxy-4-methoxy-4,6-dimethyltetrahydro-2H-pyran-2-yl)oxy)-6-(((2S,3R,4S,6R)-3-hydroxy-6-methyl-4-(methyl(methyl-¹³C-d₃)amino)tetrahydro-2H-pyran-2-yl)oxy)-3,5,7,9,11,13-hexamethyloxacyclotetradecane-2,10-dione

MF: C₃₆[¹³C]H₆₄D₃NO₁₃

FW: 738.0

Chemical Purity: ≥98% (Erythromycin)


Deuterium

Incorporation: ≥99% deuterated forms (d₁-d₃); ≤1% d₀

Supplied as: A solid

Storage: -20°C

Stability: ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Erythromycin-¹³C-d₃ is intended for use as an internal standard for the quantification of erythromycin (Item No. 16486) by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

Erythromycin-¹³C-d₃ is supplied as a solid. A stock solution may be made by dissolving the erythromycin-¹³C-d₃ in the solvent of choice. Erythromycin-¹³C-d₃ is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of erythromycin-¹³C-d₃ in ethanol is approximately 30 mg/ml and approximately 15 mg/ml in DMSO and DMF.

Description

Erythromycin is a macrolide antibiotic that inhibits bacterial protein synthesis by targeting the 50S ribosomal subunit, blocking the progression of nascent polypeptide chains.¹ It is active against a host of bacterial genera, including *Streptococcus*, *Staphylococcus*, and *Haemophilus* (MIC₉₀s = 0.015-2.0 mg/l).² Erythromycin (10-40 mg/kg) dose-dependently inhibits the growth of *S. aureus* in a mouse model of thigh infection.³ It also inhibits the cytochrome P450 (CYP450) isoform CYP3A4 *in vitro* with IC₅₀ values of 33 and 27.3 μM for α-hydroxytriazolam and 4-hydroxytriazolam formation, respectively, following administration of triazolam, which is known to be metabolized primarily by CYP3A4.^{4,5} Formulations containing erythromycin have been used in the treatment of bacterial respiratory and skin infections, pertussis, and a variety of other bacterial infections.

References

1. Wilson, D.N. *Crit. Rev. Biochem. Mol. Biol.* **44**(6), 393-433 (2009).
2. Kanatani, M.S. and Guglielmo, B.J. *Western J. Med.* **160**(1), 31-37 (1994).
3. Hoogeterp, J.J., Mattie, H., and van Furth, R. *Scand. J. Infect. Dis.* **25**(1), 123-132 (1993).
4. Westphal, J.F. *Br. J. Clin. Pharmacol.* **50**(4), 285-295 (2000).
5. Greenblatt, D.J., von Moltke, L.L., Harmatz, J.S., *et al.* *Clin. Pharmacol. Ther.* **64**(3), 278-285 (1998).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/04/2018

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM