

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



# PRODUCT INFORMATION



Dutasteride-<sup>13</sup>C<sub>∠</sub> Item No. 25313

Formal Name: (4aR,4bS,6aS,7S,9aS,9bS,11aR)-N-(2,5-

> bis(trifluoromethyl)phenyl-1,2,3,4,5,6-<sup>13</sup>C<sub>6</sub>)-4a,6a-dimethyl-2-oxo-2,4a,4b,5,6,6a, 7,8,9,9a,9b,10,11,11a-tetradecahydro-1Hindeno[5,4-f]quinoline-7-carboxamide

 $C_{21}[^{13}C]_6H_{30}F_6N_2O_2$ MF:

FW: 534.5 **Purity:** ≥98% Supplied as: A solid Storage: -20°C Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

## **Laboratory Procedures**

Dutasteride- $^{13}C_A$  is supplied as a solid. A stock solution may be made by dissolving the dutasteride- $^{13}C_A$  in the solvent of choice. Dutasteride- $^{13}$ C $_{6}$  is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide (DMF), which should be purged with an inert gas. The solubility of dutasteride  $^{13}$ C<sub>6</sub> in in ethanol and DMSO is approximately 10 mg/ml and approximately 30 mg/ml in DMF.

#### Description

Dutasteride- $^{13}C_6$  is intended for use as an internal standard for the quantification of dutasteride (Item No. 15956) by GC- or LC-MS. Dutasteride is a dual inhibitor of 5α-reductase types I and II  $(K_s = 6 \text{ and } 7 \text{ nM}, \text{ respectively}).^{1-3}$  Its inhibition is time-dependent with apparent  $K_s$  values of 17 and 4.3 nM at 10- and 30-minute reaction times, respectively. Dutasteride decreases prostate weight in a rat model of benign prostatic hypertrophy induced by testosterone after castration when administered daily for 28 days at doses of 0.045 mg/kg as a solution or 0.756 mg/kg in subcutaneous microspheres.<sup>4</sup> It also decreases prostate weight in large probasin-large T antigen mice, a transgenic model of prostate cancer. Formulations containing dutasteride have been used in the treatment of benign prostatic hyperplasia.

#### References

- 1. Makridakis, N. and Reichardt, J.K. Pharmacogenetic analysis of human steroid 5α reductase type II: Comparison of finasteride and dutasteride. J. Mol. Endocrinol. 34(3), 617-623 (2005).
- 2. Bramson, H.N., Hermann, D., Batchelor, K.W., et al. Unique preclinical characteristics of GG745, a potent dual inhibitor of 5AR. J. Pharmacol. Exp. Ther. 282(3), 1496-1502 (1997).
- 3. Tian, G., Stuart, J.D., Moss, M.L., et al. 17β-(N-tert-butylcarbamoyl)-4-aza-5 α-androstan-1-en-3-one is an active site-directed slow time-dependent inhibitor of human steroid 5  $\alpha$ -reductase 1. Biochemistry 33(8), 2291-2296 (1994).
- 4. Xie, X., Yang, Y., Chi, Q., et al. Controlled release of dutasteride from biodegradable microspheres: In vitro and in vivo studies. PLoS One 9(12), e114835 (2014).
- Shao, T.C., Li, H., Ittmann, M., et al. Effects of dutasteride on prostate growth in the large probasin-large T antigen mouse model of prostate cancer. J. Urol. 178(4 Pt. 1), 1521-1527 (2007).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/04/2018

## **CAYMAN CHEMICAL**

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM