



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Tirapazamine

Item No. 25981

CAS Registry No.: 27314-97-2
Formal Name: 1,2,4-benzotriazin-3-amine 1,4-dioxide
Synonyms: 3-Amino-1,2,4-benzotriazine 1,4-Dioxide, SR 259075, SR 4233, WIN 59075
MF: C₇H₆N₄O₂
FW: 178.2
Purity: ≥98%
UV/Vis.: λ_{max}: 223, 271 nm
Supplied as: A solid
Storage: -20°C
Stability: ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Tirapazamine is supplied as a solid. A stock solution may be made by dissolving the tirapazamine in the solvent of choice, which should be purged with an inert gas. Tirapazamine is soluble in the organic solvent DMSO.

Description

Tirapazamine is a hypoxia-activated anticancer agent.¹ It is converted to an oxidizing radical under hypoxic conditions and can induce single- and double-strand breaks in DNA, formation of trapped topoisomerase I- and II-DNA complexes, and other chromosomal aberrations, leading to cytotoxicity.¹⁻³ Tirapazamine induces hypoxia-enhanced cytotoxicity in DT40 cells (IC₅₀s = 1.02 and 4.34 μM in hypoxic and normoxic conditions, respectively).³ It also induces cytotoxicity in HT-1080 and A549 cells in a concentration-dependent manner under hypoxic conditions.¹ *In vivo*, tirapazamine sensitizes tumors to cisplatin (Item No. 13119) in a mouse RIF-1 fibrosarcoma tumor model.⁴ Tirapazamine (0.08 mmol/kg) also sensitizes tumors to fractionated irradiation in a FaDu hypopharyngeal squamous cell carcinoma mouse xenograft model.⁵

References

1. Brown, J.M. SR 4233 (tirapazamine): A new anticancer drug exploiting hypoxia in solid tumours. *Br. J. Cancer*. **67**(6), 1163-1170 (1993).
2. Reddy, S.B. and Williamson, S.K. Tirapazamine: A novel agent targeting hypoxic tumor cells. *Expert. Opin. Investig. Drugs* **18**(1), 77-87 (2009).
3. Moriwaki, T., Okamoto, S., Sasanuma, H., et al. Cytotoxicity of tirapazamine (3-amino-1,2,4-benzotriazine-1,4-dioxide)-induced DNA damage in chicken DT40 cells. *Chem. Res. Toxicol.* **30**(2), 699-704 (2017).
4. Dorie, M.J. and Brown, J.M. Tumor-specific, schedule-dependent interaction between tirapazamine (SR 4233) and cisplatin. *Cancer Res.* **53**(19), 4633-4636 (1993).
5. El-Said, A., Menke, D., Dorie, M.J., et al. Comparison of the effectiveness of tirapazamine and carbogen with nicotinamide in enhancing the response of a human tumor xenograft to fractionated irradiation. *Radiat. Oncol. Investig.* **7**(3), 163-169 (1999).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/23/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM