

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



LX2343

Item No. 27799

CAS Registry No.: 333745-53-2


Formal Name: N-1,3-benzodioxol-5-yl-2-[(5-chloro-

2-methoxyphenyl)(phenylsulfonyl)

amino]-acetamide

MF: C22H19CIN2O6S

474.9 FW: ≥98% **Purity:** UV/Vis.: λ_{max} : 293 nm Supplied as: A solid Storage: -20°C Stability: ≥2 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

LX2343 is supplied as a solid. A stock solution may be made by dissolving the LX2343 in the solvent of choice, which should be purged with an inert gas. LX2343 is soluble in organic solvents such as DMSO and dimethyl formamide. The solubility of LX2343 in these solvents is approximately 25 and 33 mg/ml, respectively. LX2343 is also slightly soluble in ethanol.

Description

LX2343 is an inhibitor of β -site amyloid protein cleaving enzyme 1 (BACE1/ β -secretase; IC_{50} = 11.43 μ M) and PI3K (IC_{50} = 15.99 μ M).¹ It inhibits accumulation of A β (1-40) (A β 40) and A β 42 induced by streptozotocin (STZ; Item No. 13104) in both HEK293-APP_{SW} and CHO-APP cells, which express mutant and wild-type amyloid precursor protein (APP), respectively, in a concentration-dependent manner. It also inhibits STZ-induced increases in JNK and APP^{Thr668} phosphorylation as well as soluble APPβ (sAPPβ) protein levels. LX2343 (10 mg/kg per day) reduces levels of Aβ40 and Aβ42, as well as thioflavine S staining, in the cortex and hippocampus in the APP/PS1 transgenic mouse model of Alzheimer's disease. It also reduces cortical levels of PI3K, Akt, and mTOR phosphorylation and accumulation of the autophagy substrate p62, indicating increased autophagy. LX2343 (10 mg/kg per day) decreases path length and escape latency time in the Morris water maze in APP/PS1 mice.

Reference

1. Guo, X.D., Sun, G.L., Zhou, T.T., et al. Small molecule LX2343 ameliorates cognitive deficits in AD model mice by targeting both amyloid β production and clearance. Acta Pharmacol. Sin. 37(10), 1281-1297 (2016).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 11/14/2019

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM