

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



Vitamin K₁-d₇ Item No. 29992

CAS Registry No.: 1233937-39-7

Formal Name: 2-(methyl-d₃)-3-[(2E)-3,7,11,15-

tetramethyl-2-hexadecen-1-yl]-1,4-

naphthalenedione-5,6,7,8-d₄

Synonyms: α-Phylloquinone-d₇,

trans-Phylloquinone-d₇

 $^{\mathrm{C_{31}H_{39}D_{7}O_{2}}}_{457.7}$ MF:

FW:

Chemical Purity: ≥95% (Vitamin K₁)

Deuterium

 \geq 99% deuterated forms (d₁-d₇); \leq 1% d₀ Incorporation:

Supplied as: An oil -20°C Storage: Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Vitamin K_1 - d_7 is intended for use as an internal standard for the quantification of vitamin K_1 (Item No. 21051) by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

Vitamin K_1 - d_7 is supplied as an oil. A stock solution may be made by dissolving the vitamin K_1 - d_7 in the solvent of choice, which should be purged with an inert gas. Vitamin K_1 - d_7 is slightly soluble in chloroform and ethyl acetate.

Description

Vitamin K₁ is a fat-soluble, dietary nutrient that is essential for the synthesis of proteins important for blood-clotting, bone metabolism, and cell growth. It is found in the photosynthetic tissues of green, leafy plants, where it acts as an electron acceptor forming part of the electron transport chain of Photosystem I.2 Vitamin K₁ also serves as a precursor to vitamin K₂ and is reported to exhibit anticancer activity in various cell lines.^{3,4}

References

- 1. Plaza, S.M. and Lamson, D.W. Vitamin K2 in bone metabolism and osteoporosis. Altern. Med. Rev. 10(1), 24-35 (2005).
- 2. Santabarbara, S., Heathcote, P., and Evans, M.C.W. Modelling of the electron transfer reactions in Photosystem I by electron tunnelling theory: The phylloquinones bound to the PsaA and the PsaB reaction centre subunits of PS I are almost isoenergetic to the iron-sulfur cluster FX. Biochim. Biophys. Acta. 1708(3), 283-310 (2005).
- Beulens, J.W.J., Booth, S.L., van den Heuvel, E.G.H.M., et al. The role of menaquinones (vitamin K₂) in human health. Br. J. Nutr. 110(8), 1357-1368 (2013).
- 4. Lamson, D.W. and Plaza, S.M. The anticancer effects of vitamin K. Altern. Med. Rev. 8(3), 303-318 (2003).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 08/18/2021

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM