

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



Nateglinide-d₅ Item No. 30151

CAS Registry No.: 1227666-13-8

Formal Name: N-[[trans-4-(1-methylethyl)cyclohexyl]

carbonyl]-D-phenylalanine-2,3,4,5,6-d_E

MF: $C_{19}H_{22}D_5NO_3$

FW: 322.5


Chemical Purity: ≥95% (Nateglinide)

Deuterium

Incorporation: ≥99% deuterated forms (d_1-d_5) ; ≤1% d_0

Supplied as: A solid Storage: -20°C Stability: ≥4 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Laboratory Procedures

Nateglinide-d₅ is intended for use as an internal standard for the quantification of nateglinide (Item No. 23320) by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

Nateglinide- d_{ϵ} is supplied as a solid. A stock solution may be made by dissolving the nateglinide- d_{ϵ} in the solvent of choice, which should be purged with an inert gas. Nateglinide- d_5 is slightly soluble in chloroform and methanol.

Description

Nateglinide is a hypoglycemic agent.¹⁻³ It induces insulin and somatostatin release from perfused rat pancreas when used at concentrations ranging from 0.03 to 3 μ M. Nateglinide (3 μ M) increases intracellular calcium levels in isolated rat pancreatic β cells, an effect that can be inhibited by the L-type calcium channel blocker nitrendipine (Item No. 17549). Nateglinide-induced secretion of insulin and somatostatin and calcium influx is also reversed by the potassium channel activator diazoxide (Item No. 14576). Oral administration of nateglinide (1.6 mg/kg) reduces blood glucose levels by 20% in fasted mice.² It also decreases blood glucose levels in an oral glucose tolerance test in normal rats, genetically diabetic KK mice, and a rat model of diabetes induced by streptozotocin (STZ; Item No. 13104).3 Formulations containing nateglinide have been used in the treatment of type 2 diabetes.

References

- 1. Fujitani, S., Ikenoue, T., Akiyoshi, M., et al. Somatostatin and insulin secretion due to common mechanisms by a new hypoglycemic agent, A-4166, in perfused rat pancreas. Metabolism 45(2), 184-189 (1996).
- 2. Shinkai, H., Toi, K., Kumashiro, I., et al. N-acylphenylalanines and related compounds. A new class of oral hypoglycemic agents. J. Med. Chem. 31(11), 2092-2097 (1988).
- Sato, Y., Nishikawa, M., Shinkai, H., et al. Possibility of ideal blood glucose control by a new oral hypoglycemic agent, N-[(trans-4-isopropylcyclohexyl)-carbonyl]-D-phenylalanine (A-4166), and its stimulatory effect on insulin secretion in animals. Diabetes Res. Clin. Pract. 12(1), 53-59 (1991).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 12/08/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM