

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



# Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

# Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



# PRODUCT INFORMATION



## Creatinine

Item No. 31164

CAS Registry No.: 60-27-5

Formal Name: 2-amino-1,5-dihydro-1-methyl-4H-imidazol-4-one

Synonym: NSC 13123 MF:  $C_4H_7N_3O$ FW: 113.1 **Purity:** ≥95% UV/Vis.:

 $\lambda_{max}$ : 236 nm A crystalline solid Supplied as:

Storage: -20°C Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### **Laboratory Procedures**

Creatinine is supplied as a crystalline solid. Aqueous solutions of creatinine can be prepared by directly dissolving the crystalline solid in aqueous buffers. The solubility of creatinine in PBS, pH 7.2, is approximately 10 mg/ml. We do not recommend storing the aqueous solution for more than one day.

### Description

Creatinine is the end product of the creatine-creatine phosphate energy shuttle.<sup>1</sup> It is formed by the spontaneous and non-enzymatic cyclization of creatine, as well as from creatine phosphate (Item No. 20728) via a phosphorylcreatinine intermediate, in skeletal muscle and brain. Creatinine levels are increased in the urine after exercise in mice and in the plasma of rats fed a high-protein diet for 20 months.<sup>2,3</sup> Serum creatinine levels have been used to estimate the glomerular filtration rate (GFR) and as a marker of renal dysfunction.4

#### References

- 1. Wyss, R.H., Karsznia, R., Heinrichs, W.L., et al. Inhibition of uterine receptor binding of estradiol by anti-estrogens (clomiphene and CL-868). J. Clin. Endocrinol. Metab. 28(12), 1824-1828 (1968).
- 2. Maxwell, A.J., Schauble, E., Bernstein, D., et al. Limb blood flow during exercise is dependent on nitric oxide. Circulation 98(4), 369-374 (1998).
- Bertani, T., Zoja, C., Abbate, M., et al. Age-related nephropathy and proteinuria in rats with intact kidneys exposed to diets with different protein content. Lab. Invest. 60(2), 196-204 (1989).
- 4. Delanaye, P., Cavalier, E., and Pottel, H. Serum creatinine: Not so simple! Nephron 136(4), 302-308 (2017).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information Buyer agrees to purchase the material can be found on our website.

Copyright Cayman Chemical Company, 07/21/2020

### **CAYMAN CHEMICAL**

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM