



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION



Fumonisin B₁-¹³C₃₄

Item No. 31272

CAS Registry No.: 1217458-62-2

Formal Name: (2R,2'R)-1,2,3-Propane-1,2,3-¹³C₃-tricarboxylic-1,2,3-¹³C₃ acid, 1,1'-(1S,2R)-1-[(2S,4R,9R,11S,12S)-12-amino-4,9,11-trihydroxy-2-(methyl-¹³C)tridecyl-1,2,3,4,5,6,7,8,9,10,11,12,13-¹³C₁₃]-2-[(1R)-1-(methyl-¹³C)pentyl-1,2,3,4,5-¹³C₅]-1,2-ethanediyl-1,2-¹³C₂] ester

Synonyms: FB₁-¹³C₃₄

MF: [¹³C]₃₄H₅₉NO₁₅

FW: 755.6


Purity: ≥95%

Supplied as: A 1:1 solution in acetonitrile:water

Storage: -20°C

Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Description

Fumonisin B₁-¹³C₃₄ (FB₁-¹³C₃₄) is intended for use as an internal standard for the quantification of FB₁ (Item No. 62580) by GC- or LC-MS. FB₁ is a mycotoxin that has been found in *F. moniliforme*.¹ It inhibits ceramide synthase (IC₅₀ = 0.1 μM for the rat liver enzyme).² FB₁ induces DNA fragmentation and apoptosis in CV-1 cells when used at concentrations of 5 and 25 μM, respectively.³ It is cytotoxic to primary rat hepatocytes and induces hepatocyte nodule formation, a marker of cancer initiation, in rats when administered at a dose of 500 mg/kg for 21 days.⁴ It has been detected in corn and corn-based foods and livestock feeds.⁵

References

1. Gelderblom, W.C.A., Jaskiewicz, K., Marasas, W.F.O., et al. Fumonisins—novel mycotoxins with cancer-promoting activity produced by *Fusarium moniliforme*. *Appl. Environ. Microbiol.* **54**(7), 1806-1811 (1988).
2. Wang, E., Norred, W.P., Bacon, C.W., et al. Inhibition of sphingolipid biosynthesis by fumonisins. Implications for diseases associated with *Fusarium moniliforme*. *J. Biol. Chem.* **266**(22), 14486-14490 (1991).
3. Ciacci-Zanella, J.R. and Jones, C. Fumonisin B₁, a mycotoxin contaminant of cereal grains, and inducer of apoptosis via the tumour necrosis factor pathway and caspase activation. *Food Chem. Toxicol.* **37**(7), 703-712 (1999).
4. Gelderblom, W.C.A., Cawood, M.E., Snyman, S.D., et al. Structure-activity relationships of fumonisins in short-term carcinogenesis and cytotoxicity assays. *Food Chem. Toxicol.* **31**(6), 407-414 (1993).
5. Bullerman, L.B. Occurrence of *Fusarium* and fumonisins on food grains and in foods. *Fumonisins in food*. Jackson, L.S., DeVries, J.W., Bullerman, L.B., editors, 1st edition, Springer (1996).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM