



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

PRODUCT INFORMATION



Fumonisin B₃-¹³C₃₄ Item No. 31274

Formal Name: (2R,2'R)-2,2'-(((5R,6R,7S,9S,11R,18S,19S)-19-amino-11,18-dihydroxy-5,9-di(methyl-¹³C)icosane-6,7-diyl-1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20-¹³C₂₀)bis(oxy))bis(2-oxoethane-2,1-diyl-1,2-¹³C₂))disuccinic-¹³C₄ acid

Synonym: FB₃-¹³C₃₄

MF: [¹³C]₃₄H₅₉NO₁₄


FW: 739.6

Purity: ≥98%

Supplied as: A 1:1 solution in acetonitrile:water

Storage: -20°C

Stability: ≥1 year



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Description

FB₃-¹³C₃₄ is intended for use as an internal standard for the quantification of fumonisin B₃ (Item No. 20434) by GC- or LC-MS. FB₃ is a mycotoxin that has been found in *Fusarium*.¹ It is cytotoxic to primary rat hepatocytes when used at concentrations of 125, 250, and 500 μM.² Dietary administration of FB₃ (0.05%) for 14 or 21 days induces hepatocyte nodules, a marker of cancer initiation, in rats.² FB₃ has been detected in corn and corn-based foods and livestock feeds.³

References

1. Rheeder, J.P., Marasas, W.F.O., and Vismer, H.F. Production of fumonisin analogs by *Fusarium* species. *Appl. Environ. Microbiol.* **68**(5), 2101-2105 (2002).
2. Gelderblom, W.C.A., Cawood, M.E., Snyman, S.D., *et al.* Structure-activity relationships of fumonisins in short-term carcinogenesis and cytotoxicity assays. *Food Chem. Toxicol.* **31**(6), 407-414 (1993).
3. Bullerman, L.B. Occurrence of *Fusarium* and fumonisins on food grains and in foods. *Fumonisins in food*. Jackson, L.S., DeVries, J.W., Bullerman, L.B., editors, 1st edition, Springer (1996).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/11/2021

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM