



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION

PDE1C1 (human, recombinant)

Item No. 32042


Overview and Properties

Synonyms:	3',5'-cyclic-AMP Phosphodiesterase 1C1, 3',5'-cyclic-GMP Phosphodiesterase 1C1, Calcium/Calmodulin-dependent 3',5'-cyclic Nucleotide Phosphodiesterase 1C1, Cam-PDE1C1, Phosphodiesterase 1C1, HCam3a
Source:	Recombinant human N-terminal His-GST-tagged PDE1C1 expressed in insect cells
Amino Acids:	1-634 (full length)
Uniprot No.:	Q8TAE4
Molecular Weight:	100 kDa
Storage:	-80°C (as supplied)
Stability:	≥1 year
Purity:	≥85% estimated by SDS-PAGE
Supplied in:	Lyophilized from sterile 20 mM Tris, 500 mM sodium chloride, pH 7.4, with 10% glycerol and 3 mM DTT

Endotoxin Testing: <1.0 EU/μg, determined by the LAL endotoxin assay

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Image



Lane 1: MW Markers
Lane 2: PDE1C1

SDS-PAGE Analysis of PDE1C1. This protein has a calculated molecular weight of 100 kDa. It has an apparent molecular weight of approximately 97 kDa by SDS-PAGE under reducing conditions.

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 06/12/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

Phosphodiesterase 1C (PDE1C) is a calcium/calmodulin-dependent PDE that hydrolyzes cAMP and cGMP.^{1,2} Alternative splicing of *PDE1C* produces three isoforms that exhibit isoform-specific tissue distribution and domain structure.¹ *PDE1C* isoforms all contain a calcium/calmodulin binding region and a PDE catalytic domain but vary in carboxyterminal length.³ *PDE1C1* is a 72 kDa isoform that is primarily expressed in the heart and brain but is also expressed in the lungs, uterus, and testes. *PDE1C1* is expressed in MAA human malignant melanoma cells.⁴ Hippocampal *PDE1C1* expression is increased in aged rats.⁵ Cayman's *PDE1C1* (human, recombinant) protein consists of 871 amino acids and has a calculated molecular weight of 100 kDa.

References

1. Loughney, K., Martins, T.J., Harris, E.A.S., et al. Isolation and characterization of cDNAs corresponding to two human calcium, calmodulin-regulated, 3',5'-cyclic nucleotide phosphodiesterases. *J. Biol. Chem.* **271**(2), 796-806 (1996).
2. Yan, C., Zhao, A.Z., Bentley, J.K., et al. The calmodulin-dependent phosphodiesterase gene *PDE1C* encodes several functionally different splice variants in a tissue-specific manner. *J. Biol. Chem.* **271**(41), 25699-25706 (1996).
3. Loughney, K. and Ferguson, K. Identification and quantification of PDE isoenzymes and subtypes by molecular biological methods. *The Handbook of Immunopharmacology*. Schudt, C., Dent, G., and Rabe, K.F. Academic Press (1996).
4. Shimizu, K., Murata, T., Watanabe, Y., et al. Characterization of phosphodiesterase 1 in human malignant melanoma cell lines *Anticancer Res.* **29**(4), 1119-1122 (2009).
5. Kelly, M.P., Adamowicz, W., Bove, S., et al. Select 3',5'-cyclic nucleotide phosphodiesterases exhibit altered expression in the aged rodent brain. *Cell Signal.* **26**(2), 383-397 (2014).