

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



ROCK1 (human, recombinant)

Item No. 32757

Overview and Properties

Synonyms:	p160 ROCK1, Renal Carcinoma Antigen NY-REN-35, Rho-associated, Coiled-coil-containing Protein Kinase 1, Rho-associated Protein Kinase 1
Source:	
	Active recombinant N-terminal His-tagged human ROCK1 expressed in insect cells
Amino Acids:	6-415
Uniprot No.:	Q13464
Molecular Weight:	50.12 kDa
Storage:	-80°C (as supplied)
Stability:	≥1 year
Purity:	<i>batch specific</i> (≥90% estimated by SDS-PAGE)
Supplied in:	20 mM HEPES, pH 7.5, with 150 mM sodium chloride, and 1 mM DTT
Protein	
Concentration:	<i>batch specific</i> mg/ml
Activity:	batch specific U/ml
Specific Activity:	batch specific U/mg
Unit Definition:	One unit is defined as the amount of enzyme required to produce 1 μmol of ADP per minute at 25°C in 20 mM HEPES, pH 7.4, with 50 mM sodium chloride, 10 mM MgCl_2, 1 mM EGTA, 0.02% Triton, and 108 μM S6K peptide.

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Images



(Item No. 81590).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/21/2021

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

Rho-associated protein kinase 1 (ROCK1) is a serine/threonine kinase that has roles in cytoskeletal organization, as well as cell survival, proliferation, and apoptosis.^{1,2} It exists as a homodimer where each monomer is composed of an N-terminal kinase domain, a coiled-coil region that contains the Rho-binding domain, and a C-terminal pleckstrin homology (PH) domain that contains a cysteine-rich C1 domain and acts as an autoinhibitory region.^{2,3} *Rock1* mRNA is expressed in all tissues except in the muscle and brain, and the protein is localized predominantly in the cytosol but also associates with the plasma membrane and centrosomes.^{1,2} Binding of ROCK1 to GTP-bound RhoA induces activation of ROCK1, which phosphorylates a variety of downstream targets, including myosin light chain (MLC) phosphatase 1 (MYPT1) and MLC2, that have diverse roles in cytoskeletal organization.² The C-terminal autoinhibitory region of ROCK1 is cleaved by caspase-3 during the execution phase of apoptosis, resulting in constitutively active ROCK1 and plasma membrane blebbing, a hallmark of apoptosis.^{1,2} ROCK1 is overexpressed in tumors from patients with various solid tumors, including hepatocellular carcinoma, glioblastoma, or melanoma, and increased tumor *ROCK1* mRNA transcript levels are correlated with increased metastasis and reduced overall survival in patients with breast cancer.^{4,5} Cayman's ROCK1 (human, recombinant) protein can be used for ELISA, enzyme activity assay, and Western blot (WB) applications.

References

- 1. Hartmann, S., Ridley, A.J., and Lutz, S. The function of Rho-associated kinases ROCK1 and ROCK2 in the pathogenesis of cardiovascular disease. *Front. Pharmacol.* **6**, 276 (2015).
- 2. Julian, L. and Olson, M.F. Rho-associated coiled-coil containing kinases (ROCK): Structure, regulation, and functions. *Small GTPases* 5, e29846 (2014).
- 3. Haga, R.B., Garg, R., Collu, F., *et al.* RhoBTB1 interacts with ROCKs and inhibits invasion. *Biochem. J.* **476(17)**, 2499-2514 (2019).
- Hu, C., Zhou, H., Liu, Y., et al. ROCK1 promotes migration and invasion of non small cell lung cancer cells through the PTEN/PI3K/FAK pathway. Int. J. Oncol. 55(4), 833-844 (2019).
- 5. Lane, J., Martin, T.A., Watkins, G., *et al.* The expression and prognostic value of ROCK I and ROCK II and their role in human breast cancer. *Int. J. Oncol.* **33(3)**, 585-593 (2008).

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM