

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



VU0152100

Item No. 32968

CAS Registry No.: 409351-28-6

Formal Name: 3-amino-N-[(4-methoxyphenyl)methyl]-4,6-

dimethyl-thieno[2,3-b]pyridine-2-carboxamide

MF: $C_{18}H_{19}N_3O_2S$

FW: 341.4 **Purity:** ≥98%

 λ_{max} : 218, 283 nm A crystalline solid UV/Vis.: Supplied as:

Storage: -20°C Stability: ≥2 vears

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

VU0152100 is supplied as a crystalline solid. A stock solution may be made by dissolving the VU0152100 in the solvent of choice, which should be purged with an inert gas. VU0152100 is soluble in organic solvents such as DMSO and dimethyl formamide. The solubility of VU0152100 in these solvents is approximately 30 mg/ml.

VU0152100 is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, VU0152100 should first be dissolved in DMSO and then diluted with the aqueous buffer of choice. VU0152100 has a solubility of approximately 0.14 mg/ml in a 1:6 solution of DMSO:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

VU0152100 is a positive allosteric modulator of M₄ muscarinic acetylcholine receptors. ¹ It potentiates calcium mobilization induced by acetylcholine (ACh) in CHO-K1 cells expressing the rat M₁ receptor with an EC $_{50}$ value of 380 nM. VU0152100 is selective for M $_4$ over M $_1$, M $_2$, M $_3$ and M $_5$ receptors, as well as a panel of 68 additional GPCRs, ion channels, transporters, and enzymes, but does bind to the benzodiazepine binding site of the GABA $_{\Delta}$ receptor at 10 μ M. It reduces cocaine-induced increases in locomotor activity and cocaine self-administration in mice when administered at a dose of 1 mg/kg.²

References

- 1. Brady, A.E., Jones, C.K., Bridges, T.M., et al. Centrally active allosteric potentiators of the M₄ muscarinic acetylcholine receptor reverse amphetamine-induced hyperlocomotor activity in rats. J. Pharmacol. Exp. Ther. 327(3), 941-953 (2008).
- 2. Dencker, D., Weikop, P., Sørensen, G., et al. An allosteric enhancer of M₄ muscarinic acetylcholine receptor function inhibits behavioral and neurochemical effects of cocaine. Psychopharmacology 224(2), 277-287 (2012).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website

Copyright Cayman Chemical Company, 12/15/2020

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM