



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION



JAK1 (human, recombinant)


Item No. 33741

Overview and Properties

Synonyms:	Janus-Associated Kinase 1, JTK3, Tyrosine-Protein Kinase JAK1
Source:	Active recombinant human N-terminal GST-tagged JAK1 expressed in insect cells
Amino Acids:	866-1,154
Uniprot No.:	P23458
Molecular Weight:	60 kDa
Storage:	-80°C (as supplied)
Stability:	≥1 year
Purity:	batch specific (≥63% estimated by SDS-PAGE)
Supplied in:	25 mM Tris-HCl, pH 8.0, with 427 mM NaCl, 1.3 mM KCl, 0.02% Tween 20, 3 mM DTT, 14 mM glutathione, and 50% glycerol
Protein Concentration:	batch specific mg/ml
Bioactivity:	See figures for details

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Images



Lane 1: JAK1 (4 μ g)
Lane 2: MW Markers

SDS-PAGE Analysis of JAK1.

Representative gel image shown; actual purity may vary between each batch.

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 05/04/2021

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

JAK1 is a non-receptor tyrosine kinase that has roles in immune signaling.¹⁻³ It is composed of N-terminal FERM and SH2 domains, a regulatory pseudokinase domain, and a C-terminal kinase domain.² It is widely expressed and associates with class I and class II cytokine receptors at the plasma membrane.³ Activation of these cytokine receptors activates JAK1 and induces its dimerization and kinase activity, leading to JAK1 phosphorylation of STAT transcription factors and transcription of immune-related target genes.^{2,4} JAK1 signaling is inhibited by the suppressor of cytokine signaling (SOCS) proteins SOCS-1, SOCS-3, and SOCS-5.^{5,6} Knockout of *Jak1* in mice results in perinatal mortality and deficits in lymphopoiesis.⁷ JAK1 fusion proteins and activating mutations in JAK1 are associated with acute myeloid leukemia (AML) and T cell precursor acute lymphoblastic leukemia (ALL).⁸ Cayman's JAK1 (human, recombinant) protein can be used for enzyme activity assays.

References

1. Ferrao, R., Wallweber, H.J.A., Ho, H., et al. The structural basis for class II cytokine receptor recognition by JAK1. *Structure* **24**(6), 897-905 (2016).
2. Leonard, W.J. and O'Shea, J.J. JAKS AND STATS: Biological implications. *Annu. Rev. Immunol.* **16**, 293-322 (1998).
3. Haan, C., Kreis, S., Margue, C., et al. Jaks and cytokine receptors—an intimate relationship. *Biochem. Pharmacol.* **72**(11), 1538-1546 (2006).
4. Imada, K. and Leonard, W.J. The Jak-STAT pathway. *Mol. Immunol.* **37**(1-2), 1-11 (2000).
5. Kile, B.T. and Alexander, W.S. The suppressors of cytokine signalling (SOCS). *Cell. Mol. Life Sci.* **58**(11), 1627-1635 (2001).
6. Linossi, E.M., Chandrashekaran, I.R., Kolesnik, T.B., et al. Suppressor of cytokine signaling (SOCS) 5 utilises distinct domains for regulation of JAK1 and interaction with the adaptor protein Shc-1. *PLoS One* **8**(8), e70536 (2013).
7. Rodig, S.J., Meraz, M.A., White, J.M., et al. Disruption of the *Jak1* gene demonstrates obligatory and nonredundant roles of the Jaks in cytokine-induced biologic responses. *Cell* **93**(3), 373-383 (1998).
8. Vainchenker, W., Dusa, A., and Constantinescu, S.N. JAKs in pathology: Role of Janus kinases in hematopoietic malignancies and immunodeficiencies. *Semin. Cell Dev. Biol.* **19**(4), 385-393 (2008).