

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



Cochineal

Synonyms:

Item No. 35334

CAS Registry No.: 1260-17-9

Formal Name: 7-β-D-glucopyranosyl-9,10-dihydro-

3,5,6,8-tetrahydroxy-1-methyl-9,10-

dioxo-2-anthracenecarboxylic acid Carminic Acid, Carmine 5297,


E 120, NSC 326224

MF: $C_{22}H_{20}O_{13}$ FW: 492.4 **Purity:** ≥80%

 λ_{max} : 223, 278 nm UV/Vis.:

A solid Supplied as: -20°C Storage: Stability: ≥4 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Laboratory Procedures

Cochineal is supplied as a solid. A stock solution may be made by dissolving the cochineal in the solvent of choice, which should be purged with an inert gas. Cochineal is soluble in the organic solvent DMSO at a concentration of approximately 2 mg/ml.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. Organic solvent-free aqueous solutions of cochineal can be prepared by directly dissolving the solid in aqueous buffers. The solubility of cochineal in PBS (pH 7.2) is approximately 1 mg/ml. We do not recommend storing the aqueous solution for more than one day.

Description

Cochineal is a hydroxyanthraquinone dye originally isolated from female cochineal insects (D. coccus).¹ Formulations containing cochineal have been used as color additives in food and pharmaceutical preparations.

Reference

1. Zuchelli, M., Villarruel, F.D., David-Gara, P., et al. Photophysics and photochemistry of carminic acid and related natural pigments. Phys. Chem. Chem. Phys. 22(17), 9534-9542 (2020).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information Buyer agrees to purchase the material can be found on our website.

Copyright Cayman Chemical Company, 09/30/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM