



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION



FHIT (human, recombinant)


Item No. 35510

Overview and Properties

Synonyms:	Ap ₃ Aase, Ap ₃ A Hydrolase, Bis(5'-adenosyl)-Triphosphatase, Diadenosine 5',5"-P ₁ ,P ₃ -Triphosphate Hydrolase, Dinucleosidetriphosphatase, FRA3B, Fragile Histidine Triad Protein
Source:	Recombinant human C-terminal His-tagged FHIT expressed in <i>E. coli</i>
Amino Acids:	1-147 (full length)
Uniprot No.:	P49789
Molecular Weight:	17.7 kDa
Storage:	-80°C (as supplied)
Stability:	≥1 year
Purity:	≥85% estimated by SDS-PAGE
Supplied in:	Lyophilized from sterile 50 mM Tris, pH 8.0, with 10% glycerol

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Image



Lane 1: MW Markers
Lane 2: FHIT

SDS-PAGE Analysis of FHIT. This protein has a calculated molecular weight of 17.7 kDa. It has an apparent molecular weight of approximately 18 kDa by SDS-PAGE under reducing conditions.

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/22/2021

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



Description

Fragile histidine triad diadenosine triphosphatase (FHIT) is a hydrolase and tumor suppressor.¹⁻³ It contains a His-x-His-x-His motif that hydrolyzes diadenosine triphosphate (Ap_3A), as well as Ap_4A and ATP.¹ FHIT is expressed in spleen, brain, kidney, lung, and liver and localizes to the plasma membrane, nucleus, mitochondria, and cytoplasm.⁴⁻⁶ It is involved in tumor suppression and genome stability.² Overexpression of FHIT induces apoptosis in lung cancer cells and reduces tumor growth in lung cancer mouse xenograft models.⁷ Homozygous or heterozygous loss of FHIT expression is prevalent in several cancers, and the FHIT gene contains a common fragile site, FRA3B, that is a translocation breakpoint associated with hereditary kidney cancer.³ Cayman's FHIT (human, recombinant) protein consists of 153 amino acids and has a calculated molecular weight of 17.7 kDa. By SDS-PAGE, under reducing conditions, the apparent molecular mass of the protein is 18 kDa.

References

1. Lima, C.D., Klein, M.G., and Hendrickson, W.A. Structure-based analysis of catalysis and substrate definition in the HIT protein family. *Science* **278**(5336), 286-290 (1997).
2. Waters, C.E., Saldivar, J.C., Hosseini, S.A., et al. The FHIT gene product: Tumor suppressor and genome "caretaker". *Cell. Mol. Life Sci.* **71**(23), 4577-4587 (2014).
3. Pekarsky, Y., Palamarchuk, A., Huebner, K., et al. FHIT as tumor suppressor: Mechanisms and therapeutic opportunities. *Cancer Biol. Ther.* **1**(3), 232-236 (2002).
4. Golebiowski, F., Kowara, R., and Pawelczyk, T. Distribution of Fhit protein in rat tissues and its intracellular localization. *Mol. Cell. Biochem.* **266**(1-2), 49-55 (2001).
5. Costas, M.J., Cameselle, J.C., and Sillero, A. Mitochondrial location of rat liver dinucleoside triphosphatase. *J. Biol. Chem.* **261**(5), 2064-2067 (1986).
6. Sillero, M.A., Villalba, R., Moreno, A., et al. Dinucleosidetriphosphatase from rat liver. Purification and properties. *Eur. J. Biochem.* **76**(2), 331-337 (1977).
7. Ji, L., Fang, B., Yen, N., et al. Induction of apoptosis and inhibition of tumorigenicity and tumor growth by adenovirus vector-mediated fragile histidine triad (FHIT) gene overexpression. *Cancer Res.* **59**(14), 3333-3339 (1999).