



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic




PRODUCT INFORMATION



Penicillin G-d₅ (potassium salt)

Item No. 36772

Formal Name:	(2S,5R,6R)-3,3-dimethyl-7-oxo-6-(2-(phenyl-d ₅)-acetamido)-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylate, monopotassium salt
Synonym:	Benzylpenicillin-d ₅
MF:	C ₁₆ H ₁₂ D ₅ N ₂ O ₄ S • K
FW:	377.5
Chemical Purity:	≥90% (Penicillin G)
Deuterium	
Incorporation:	≥99% deuterated forms (d ₁ -d ₅); ≤1% d ₀
Supplied as:	A solid
Storage:	-20°C
Stability:	≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Penicillin G-d₅ is intended for use as an internal standard for the quantification of penicillin G (Item No. 21615) by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

Penicillin G-d₅ (potassium salt) is supplied as a solid. A stock solution may be made by dissolving the penicillin G-d₅ (potassium salt) in the solvent of choice, which should be purged with an inert gas. Penicillin G-d₅ (potassium salt) is slightly soluble in methanol and water.

Description

Penicillin G is a β-lactam antibiotic that is effective mainly for Gram-positive bacteria.² It has MIC₉₀ values of 0.03, 1, and 4 µg/ml for penicillin-susceptible, -intermediate, and -resistant strains of *S. pneumoniae*, respectively, and 16-128 µg/ml for various *Bacteroides* isolates in a broth dilution assay.^{1,3} Formulations containing penicillin G have been used for the treatment of bacterial infections and in livestock production.

References

1. Aldridge, K.E., Sanders, C.V., Janney, A., et al. Comparison of the activities of penicillin G and new beta-lactam antibiotics against clinical isolates of *Bacteroides* species. *Antimicrob. Agents Chemother.* **26**(3), 410-413 (1984).
2. Demain, A.L. Production of beta-lactam antibiotics and its regulation. *Proc. Natl. Sci. Counc. Repub. China B.* **15**(4), 251-265 (1991).
3. Pankuch, G.A., Lichtenberger, C., Jacobs, M.R., et al. Antipneumococcal activities of RP 59500 (quinupristin-dalfopristin), penicillin G, erythromycin, and sparfloxacin determined by MIC and rapid time-kill methodologies. *Antimicrob. Agents Chemother.* **40**(7), 1653-1656 (1996).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM