



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



T-1095

Item No. 37284

CAS Registry No.: 209746-59-8
Formal Name: 3-(5-benzofuranyl)-1-[2-hydroxy-6-[[6-O-(methoxycarbonyl)-β-D-glucopyranosyl]oxy]-4-methylphenyl]-1-propanone
MF: C₂₆H₂₈O₁₁
FW: 516.5
Purity: ≥98%
Supplied as: A crystalline solid
Storage: -20°C
Stability: ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

T-1095 is supplied as a crystalline solid. A stock solution may be made by dissolving the T-1095 in the solvent of choice, which should be purged with an inert gas. T-1095 is soluble in organic solvents such as ethanol, DMSO, and dimethyl formamide. The solubility of T-1095 in these solvents is approximately 1, 2, and 5 mg/ml, respectively.

Description

T-1095 is an inhibitor of sodium-glucose cotransporter 1 (SGLT1) and SGLT2 (IC₅₀s = 22.8 and 2.3 μM, respectively).¹ Dietary administration of T-1095 (0.01% w/w) reduces blood glucose and HbA1c levels in a rat model of diabetes induced by streptozotocin (Item No. 13104). It suppresses the development of hyperglycemia and hypertriglyceridemia and reduces HbA1c levels in the KKAy mouse model of type 2 diabetes. T-1095 exacerbates post-infarction cardiac dysfunction in a rat model of left anterior descending coronary artery ligation-induced myocardial infarction.²

References

1. Oku, A., Ueta, K., Ishihara, T., *et al.* T-1095, an inhibitor of renal Na⁺-glucose cotransporters, may provide a novel approach to treating diabetes. *Diabetes* **48(9)**, 1794-1800 (1999).
2. Bruno, J.G., Herman, T.S., Cano, V.L., *et al.* Selective cytotoxicity of 3-amino-L-tyrosine correlates with peroxidase activity. *In Vitro Cell. Dev. Biol. Anim.* **35(7)**, 376-382 (1999).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/21/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM