



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)

# PRODUCT INFORMATION



## EPI-X4 (trifluoroacetate salt)

Item No. 37912

<b>Formal Name:</b>	L-leucyl-L-valyl-L-arginyl-L-tyrosyl-L-threonyl-L-lysyl-L-lysyl-L-valyl-L-prolyl-L-glutamyl-L-valyl-L-seryl-L-threonyl-L-prolyl-L-threonyl-L-leucine, trifluoroacetate salt	H—Leu—Val—Arg—Tyr—Thr—Lys—Lys—Val—Pro—Gln—
<b>Synonym:</b>	Endogenous Peptide Inhibitor of CXCR4	Val—Ser—Thr—Pro—Thr—Leu—OH
<b>Peptide Sequence:</b>	LVRYYTKKVPQVSTPTL-OH	
<b>MF:</b>	$C_{84}H_{144}N_{22}O_{23} \cdot XCF_3COOH$	$\cdot XCF_3COOH$
<b>FW:</b>	1,830.2	
<b>Purity:</b>	≥98%	
<b>Supplied as:</b>	A solid	
<b>Storage:</b>	-20°C	
<b>Stability:</b>	≥4 years	

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

### Laboratory Procedures

EPI-X4 (trifluoroacetate salt) is supplied as a solid. A stock solution may be made by dissolving the EPI-X4 (trifluoroacetate salt) in the solvent of choice, which should be purged with an inert gas. EPI-X4 (trifluoroacetate salt) is soluble in ethanol and methanol.

### Description

EPI-X4 is an endogenous peptide fragment corresponding to amino acids 408-423 of human serum albumin and an antagonist of chemokine (C-X-C motif) receptor 4 (CXCR4).<sup>1</sup> It inhibits calcium mobilization and receptor internalization induced by chemokine (C-X-C motif) ligand 12 (CXCL12) in HEK293 cells expressing CXCR4 when used at concentrations ranging from 0.8 to 1,000 μM. EPI-X4 inhibits CXCL12-induced migration of Jurkat T cells and human CD34<sup>+</sup> hematopoietic stem cells. *In vivo*, EPI-X4 (16 μmol/kg) reduces Cxcr4-dependent inflammatory cell airway infiltration in a mouse model of acute allergic airway hyper eosinophilia. Urinary levels of EPI-X4 are increased and inversely correlated with glomerular filtration rate (GFR) in patients with chronic kidney disease.

### Reference

1. Zirafi, O., Kim, K.A., Ständker, L., *et al.* Discovery and characterization of an endogenous CXCR4 antagonist. *Cell Rep.* **11(5)**, 737-747 (2015).

#### WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

#### SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

#### WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/06/2023

#### CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 · USA

**PHONE:** [800] 364-9897  
[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM