



**SZABO  
SCANDIC**

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](http://linkedin.com/company/szaboscandic)



# PRODUCT INFORMATION




## 2'-Deoxy-3'-O-(N'-methylanthraniloyl)guanosine-5'-O-triphosphate (sodium salt)

Item No. 38459

Formal Name:	2'-deoxy-3'-[2-(methylamino)benzoate] guanosine 5'-(tetrahydrogen triphosphate), tetrasodium salt
Synonyms:	2'-deoxy-3'-MANT-GTP, MANT-dGTP
MF:	C <sub>18</sub> H <sub>19</sub> N <sub>6</sub> O <sub>14</sub> P <sub>3</sub> • 4Na
FW:	728.3
Purity:	≥95%
Supplied as:	A solution in water
Storage:	-80°C
Stability:	≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



### Description

2'-Deoxy-3'-O-(N'-methylanthraniloyl)guanosine-5'-O-triphosphate (2'-deoxy-3'-MANT-GTP) is a fluorescent derivative of dGTP (Item No. 35771).<sup>1-3</sup> It selectively inhibits recombinant mammalian adenylyl cyclase 1 (AC1), AC2, AC5, and AC6 ( $K_i$ s = 260, 1,200, 420, and 470 nM, respectively), bovine lung soluble guanylyl cyclase (sGC;  $K_i$  = 220 nM), and *B. anthracis* edema factor AC toxin ( $K_i$  = 630 nM) over rat testis soluble AC (sAC) and *B. pertussis* AC toxin ( $K_i$ s = 43 and 14  $\mu$ M, respectively).<sup>1</sup> 2'-deoxy-3'-MANT-GTP has been used to study the activity of various GTPases, including elongation factor Tu (EF-Tu) and H-Ras p21.<sup>2,3</sup> A related derivative, 2'(3')-MANT-GTP (Item No. 38469), displays an emission maximum of 442 nm upon excitation at 350 nm.<sup>4</sup>

### References

1. Gille, A., Lushington, G.H., Mou, T.-C., et al. Differential inhibition of adenylyl cyclase isoforms and soluble guanylyl cyclase by purine and pyrimidine nucleotides. *J. Biol. Chem.* **279**(19), 19955-19969 (2004).
2. Rodina, M.V., Fricke, R., Kuhn, L., et al. Codon-dependent conformational change of elongation factor Tu preceding GTP hydrolysis on the ribosome. *EMBO J.* **14**(11), 2613-2619 (1995).
3. John, J., Sohmen, R., Feuerstein, J., et al. Kinetics of interaction of nucleotides with nucleotide-free H-ras p21. *Biochemistry* **29**(25), 6058-6065 (1990).
4. Hiratsuka, T. New ribose-modified fluorescent analogs of adenine and guanine nucleotides available as substrates for various enzymes. *Biochim. Biophys. Acta.* **742**(3), 496-508 (1983).

**WARNING**  
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

**SAFETY DATA**

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

**WARRANTY AND LIMITATION OF REMEDY**

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 11/29/2023

**CAYMAN CHEMICAL**

1180 EAST ELLSWORTH RD  
ANN ARBOR, MI 48108 - USA

**PHONE:** [800] 364-9897  
[734] 971-3335

**FAX:** [734] 971-3640

CUSTSERV@CAYMANCHEM.COM  
WWW.CAYMANCHEM.COM