



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic




PRODUCT INFORMATION



Retatrutide (sodium salt)

Item No. 39747

Formal Name: L-tyrosyl-2-methylalanyl-L-glutaminylglycyl-L-threonyl-L-phenylalanyl-L-threonyl-L-seryl-L- α -aspartyl-L-tyrosyl-L-seryl-L-isoleucyl-2-methyl-L-leucyl-L-leucyl-L- α -aspartyl-L-lysyl-N⁶-[N-(19-carboxy-1-oxononadecyl)-L- γ -glutamyl-2-[2-(2-aminoethoxy)ethoxy]acetyl]-L-lysyl-L-alanyl-L-glutaminyl-2-methylalanyl-L-alanyl-L-phenylalanyl-L-isoleucyl-L- α -glutamyl-L-tyrosyl-L-leucyl-L-leucyl-L- α -glutamylglycylglycyl-L-prolyl-L-seryl-L-serylglycyl-L-alanyl-L-prolyl-L-prolyl-L-prolyl-L-serinamide, sodium salt



Synonym: LY3437943

MF: C₂₂₁H₃₄₂N₄₆O₆₈ • XNa

FW: 4,731.3

Purity: ≥98%

Supplied as: A solid

Storage: -20°C

Stability: ≥4 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Retatrutide (sodium salt) is supplied as a solid. A stock solution may be made by dissolving the retatrutide (sodium salt) in the solvent of choice, which should be purged with an inert gas. Retatrutide (sodium salt) is sparingly soluble (1-10 mg/ml) in DMSO and slightly soluble in acetonitrile.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. Organic solvent-free aqueous solutions of retatrutide (sodium salt) can be prepared by directly dissolving the solid in aqueous buffers. Retatrutide (sodium salt) is sparingly soluble (1-10 mg/ml) in PBS (pH 7.2). We do not recommend storing the aqueous solution for more than one day

Description

Retatrutide is a triple agonist of the glucagon receptor (GCGR), glucagon-like peptide 1 receptor (GLP-1R), and gastric inhibitory polypeptide receptor (GIP receptor), also known as the glucose-dependent insulinotropic polypeptide receptor.¹ It induces cAMP accumulation in HEK293 cells expressing the human GCGR, GLP-1R, or GIP receptor (EC₅₀s = 5.79, 0.775, and 0.0643 nM, respectively). Retatrutide (0.1-30 nmol/kg) decreases plasma glucose levels in an intraperitoneal glucose tolerance test in mice. It decreases body weight, calorie intake, fat mass, and lean mass in a mouse model of diet-induced obesity in a dose-dependent manner. Acute administration of retatrutide (10 nmol/kg) delays gastric emptying and chronic administration for 10 days decreases food intake and body weight in mice.²

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



References

1. Coskun, T., Urva, S., Roell, W.C., et al. LY3437943, a novel triple glucagon, GIP, and GLP-1 receptor agonist for glycemic control and weight loss: From discovery to clinical proof of concept. *Cell Metab.* 34(9), 1234-1247 (2022).
2. Urva, S., O'Farrell, L., Du, Y., et al. The novel GIP, GLP-1 and glucagon receptor agonist retatrutide delays gastric emptying. *Diabetes Obes. Metab.* 25(9), 2784-2788 (2023).

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM