



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Tirzepatide (sodium salt)

Item No. 39748

Formal Name: L-tyrosyl-2-methylalanyl-L- α -glutamylglycyl-L-threonyl-L-phenylalanyl-L-threonyl-L-seryl-L- α -aspartyl-L-tyrosyl-L-seryl-L-isoleucyl-2-methylalanyl-L-leucyl-L- α -aspartyl-L-lysyl-L-isoleucyl-L-alanyl-L-glutamyl-N⁶-[(2S)-22,42-dicarboxy-1,10,19,24-tetraoxo-3,6,12,15-tetraoxa-9,18,23-triazadotetracont-1-yl]-L-lysyl-L-alanyl-L-phenylalanyl-L-valyl-L-glutamyl-L-tryptophyl-L-leucyl-L-isoleucyl-L-alanylglycylglycyl-L-prolyl-L-seryl-L-serylglycyl-L-alanyl-L-prolyl-L-prolyl-L-prolyl-L-serinamide, sodium salt



Synonym: LY3298176
MF: C₂₂₅H₃₄₈N₄₈O₆₈ • XNa
FW: 4,813.5
Purity: ≥95%
Supplied as: A solid
Storage: -20°C
Stability: ≥4 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Tirzepatide (sodium salt) is supplied as a solid. A stock solution may be made by dissolving the tirzepatide (sodium salt) in water. We do not recommend storing the aqueous solution for more than one day.

Description

Tirzepatide is an agonist of glucagon-like peptide 1 receptor (GLP-1R) and G protein-coupled receptor 119 (GPR119).¹ It induces cAMP production in HEK293 cells expressing human GLP-1R or human GPR119 (EC₅₀s = 6.54 and 1.01 nM, respectively). Tirzepatide (100 nM) induces receptor internalization in HEK293 cells expressing human GLP-1R or GPR119. *In vivo*, tirzepatide (10 nmol/kg per day) decreases body weight, food intake, plasma levels of leptin, triglycerides, and free fatty acids (FFAs), hepatic levels of triglycerides, and blood glucose levels in a mouse model of high-fat diet-induced obesity.² It prevents *A. alternata*-induced increases in the numbers of eosinophils and lymphocytes in the bronchoalveolar lavage fluid (BALF) from *A. alternata*-challenged mice when administered at a dose of 50 nmol/kg every three days.³ Tirzepatide (50 nmol/kg every three days) inhibits bronchoconstriction induced by the muscarinic receptor agonist methacholine (acetyl- β -methylcholine; Item No. 23092) in a mouse model of diabetes-induced asthma. Formulations containing tirzepatide have been used in the treatment of type 2 diabetes mellitus.

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 12/01/2023

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM

WWW.CAYMANCHEM.COM

PRODUCT INFORMATION



References

1. Willard, F.S., Douros, J.D., Gabe, M.B.N., *et al.* Tirzepatide is an imbalanced and biased dual GIP and GLP-1 receptor agonist. *JCI Insight* **5(17)**, e140532 (2020).
2. Samms, R.J., Christe, M.E., Collins, K.A.L., *et al.* GIPR agonism mediates weight-independent insulin sensitization by tirzepatide in obese mice. *J. Clin. Invest.* **131(12)**, e146353 (2021).
3. Toki, S., Zhang, J., Printz, R.L., *et al.* Dual GIPR and GLP-1R agonist tirzepatide inhibits aeroallergen-induced allergic airway inflammation in mouse model of obese asthma. *Clin. Exp. Allergy* **53(2)**, 216-221 (2023).

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM