



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Bruceine D

Item No. 40140

CAS Registry No.: 21499-66-1
Formal Name: 13,20-epoxy-1 β ,11 β ,12 α ,14,15 β -pentahydroxy-picros-3-ene-2,16-dione
Synonyms: Brucein D, NSC 318801
MF: C₂₀H₂₆O₉
FW: 410.4
Purity: $\geq$ 98%
Supplied as: A solid
Storage: -20°C
Stability: $\geq$ 4 years
Item Origin: Plant/*Brucea javanica* (L.) Merr.



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Bruceine D is supplied as a solid. A stock solution may be made by dissolving the bruceine D in the solvent of choice, which should be purged with an inert gas. Bruceine D is soluble in methanol and chloroform.

Description

Bruceine D is a quassinoid that has been found in *B. javanica* and has diverse biological activities.¹⁻⁴ It is active against chloroquine-resistant *P. falciparum* (IC₅₀ = 0.015 μ g/ml).¹ Bruceine D selectively inhibits the proliferation of PANC-1, SW 1990, and Capan-1 pancreatic cancer cells over Hs68 fibroblasts (IC₅₀s = 2.53, 5.21, 1.35, and >30 μ M, respectively).² It also induces apoptosis in PANC-1 cells. Bruceine D (20 and 40 mg/kg) protects against MPTP-induced motor impairments and dopaminergic neurodegeneration in a mouse model of Parkinson's disease.³ It decreases carrageenan-induced paw inflammation in rats when administered at doses of 0.25 or 1 mg/kg.⁴

References

1. O'Neill, M.J., Bray, D.H., Boardman, P., *et al.* Plants as sources of antimalarial drugs, Part 4: Activity of *Brucea javanica* fruits against chloroquine-resistant *Plasmodium falciparum* in vitro and against *Plasmodium berghei* in vivo. *J. Nat. Prod.* **50**(1), 41-48 (1987).
2. Lau, S.T., Lin, Z.-X., Liao, Y., *et al.* Bruceine D induces apoptosis in pancreatic adenocarcinoma cell line PANC-1 through the activation of p38-mitogen activated protein kinase. *Cancer Lett.* **281**(1), 42-52 (2009).
3. Yang, Y., Kong, F., Ding, Q., *et al.* Bruceine D elevates Nrf2 activation to restrain Parkinson's disease in mice through suppressing oxidative stress and inflammatory response. *Biochem. Biophys. Res. Commun.* **526**(4), 1013-1020 (2020).
4. Hall, I.H., Lee, K.H., Imakura, Y., *et al.* Anti-inflammatory agents III: Structure-activity relationships of brusatol and related quassinoids. *J. Pharm. Sci.* **72**(11), 1282-1284 (1983).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the [complete](#) Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 02/23/2024

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM