



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 


PRODUCT INFORMATION



Mecillinam

Item No. 9002008

CAS Registry No.: 32887-01-7
Formal Name: (2S,5R,6R)-6-[[[(hexahydro-1H-azepin-1-yl)methylene]amino]-3,3-dimethyl-7-oxo-4-thia-1-azabicyclo[3.2.0]heptane-2-carboxylic acid
Synonyms: Amdinocillin, FL 1060, Penicillin Hx
MF: C₁₅H₂₃N₃O₃S
FW: 325.4
Purity: ≥95%
UV/Vis.: λ_{max}: 221 nm
Supplied as: A crystalline solid
Storage: -20°C
Stability: ≥4 years



Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Mecillinam is supplied as a crystalline solid. A stock solution may be made by dissolving the mecillinam in the solvent of choice, which should be purged with an inert gas. Mecillinam is soluble in the organic solvent chloroform at a concentration of approximately 30 mg/ml.

Description

Mecillinam is a β-lactam antibiotic.¹ It is active against Gram-negative bacteria, including *E. coli*, *K. pneumoniae*, and *N. gonorrhoeae* (MIC₉₀s = 4, 8, and 1 μg/ml, respectively). It is also active against clinical isolates of *E. coli*, *K. pneumoniae*, and *P. mirabilis* isolated from human urine.² It binds to *K. pneumoniae* penicillin-binding protein 2 (PBP2) over PBP1A/B, PBP3, PBP4, and PBP5/6 (IC₅₀s = <0.0075, >256, 128, >256, and >256 mg/L, respectively) in a competitive binding assay.³ Mecillinam is efficacious against susceptible *E. coli* strains in a systemic mouse model of infection with 50% protective dose (PD₅₀) values ranging from less than or equal to 0.39 to 6.4 mg/kg.⁴

References

1. Neu, H.C. Amdinocillin: A novel penicillin. Antibacterial activity, pharmacology and clinical use. *Pharmacotherapy* **5**(1), 1-10 (1985).
2. Fuchs, F. and Hamprecht, A. Results from a prospective *in vitro* study on the mecillinam (amdinocillin) susceptibility of *Enterobacteriales*. *Antimicrob. Agents Chemother.* **63**(4), e02402-18 (2019).
3. Sutaria, D.S., Moya, B., Green, K.B., et al. First penicillin-binding protein occupancy patterns of β-lactams and β-lactamase inhibitors in *Klebsiella pneumoniae*. *Antimicrob. Agents Chemother.* **62**(6), e00282-18 (2018).
4. Anderson, J.D., Eftekhari, F., Cleeland, R., et al. Comparative activity of mecillinam and ampicillin singly and in combination in the urinary bladder model and experimental mouse model. *J. Antimicrob. Chemother.* **8**(2), 121-131 (1981).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

Copyright Cayman Chemical Company, 10/25/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 · USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM