



**SZABO
SCANDIC**

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic



PRODUCT INFORMATION



C26 Sphingomyelin-d₄ (d18:1/26:0-d₄)

Item No. 9003460

Formal Name: (2S,3R,E)-2-(hexacosanamido-12,12,13,13-d₄)-3-hydroxyoctadec-4-en-1-yl (2-(trimethylammonio)ethyl) phosphate

Synonyms: Cerotyl Sphingomyelin-d₄, N-Hexacosanoyl-D-erythro-Sphingosylphosphorylcholine-d₄, SM(d18:1/26:0-d₄), Sphingomyelin-d₄ (d18:1/26:0-d₄)

MF: C₄₉H₉₅D₄N₂O₆P

FW: 847.3

Chemical Purity: ≥98% (C26 Sphingomyelin)

Deuterium


Incorporation: ≥99% deuterated forms (d₁-d₄); ≤1% d₀

Supplied as: A crystalline solid

Storage: -20°C

Stability: ≥2 years

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.



Laboratory Procedures

C26 Sphingomyelin-d₄ (d18:1/26:0-d₄) is intended for use as an internal standard for the quantification of C26 sphingomyelin (Item No. 9003457) by GC- or LC-MS. The accuracy of the sample weight in this vial is between 5% over and 2% under the amount shown on the vial. If better precision is required, the deuterated standard should be quantitated against a more precisely weighed unlabeled standard by constructing a standard curve of peak intensity ratios (deuterated versus unlabeled).

Description

C26 Sphingomyelin is a sphingolipid that has been found in serum and cell or brain extracts.^{1,2,3} C26 Sphingomyelin levels are increased in the serum of patients with hemophagocytic lymphohistiocytosis, an inflammatory condition characterized by excessive immune activation.³ C26 Sphingomyelin has been used a component of monolayers to study the influence of sphingomyelin acyl chain length on sphingomyelin-sterol interactions.⁴

References

- Wang, J.-R., Zhang, H., Yau, L.D., et al. Improved sphingolipidomic approach based on ultra-high performance liquid chromatography and multiple mass spectrometries with application to cellular neurotoxicity. *Anal. Chem.* **86**(12), 5688-5696 (2014).
- Willmann, J., Mahlstedt, K., Leibfritz, D., et al. Characterization of sphingomyelins in lipid extracts using a HPLC-MS-offline-NMR method. *Anal. Chem.* **79**(11), 4188-4191 (2007).
- Jenkins, R.W., Clarke, C.J., Lucas, J.T., Jr., et al. Evaluation of the role of secretory sphingomyelinase and bioactive sphingolipids as biomarkers in hemophagocytic lymphohistiocytosis. *Am. J. Hematol.* **88**(11), E265-E272 (2013).
- Li, X.M., Momsen, M.M., Brockman, H.L., et al. Sterol structure and sphingomyelin acyl chain length modulate lateral packing elasticity and detergent solubility in model membranes. *Biophys. J.* **85**(6), 3788-3801 (2003).

WARNING

THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFETY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Buyer agrees to purchase the material subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information can be found on our website.

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD
ANN ARBOR, MI 48108 - USA

PHONE: [800] 364-9897
[734] 971-3335

FAX: [734] 971-3640

CUSTSERV@CAYMANCHEM.COM
WWW.CAYMANCHEM.COM