

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com

PRODUCT INFORMATION



Oleic Acid-¹³C₅ Item No. 9004089

CAS Registry No.:	1255644-48-4	
Formal Name:	oleic-1,2,3,7,8- ¹³ C ₅ acid	
Synonyms:	9Z-Octadecenoic Acid- ¹³ C ₅ ,	
	C18:1(9Z)- ¹³ C ₅ ,	н
	<i>cis</i> -9-Octadecenoic Acid- ¹³ C ₅	$13C^2$ $13C^2$ $13C^2$ $13COOH$
MF:	C ₁₃ [¹³ C] ₅ H ₃₄ O ₂	
FW:	287.4	
Purity:	≥95%	
Supplied as:	A solution in ethanol	
Storage:	-20°C	
Stability:	≥2 years	

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Oleic acid- ${}^{13}C_5$ is supplied as a solution in ethanol. To change the solvent, evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as chlorofrom, DMSO, and dimethyl formamide purged with an inert gas can be used. The solubility of oleic acid- $^{13}C_5$ in these solvents is approximately 100 mg/ml.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. If an organic solvent-free solution of oleic acid is needed, it can be prepared by evaporating the ethanol and directly dissolving the neat oil in aqueous buffers. The solubility of oleic acid- $^{13}C_5$ in PBS (pH 7.2) is approximately 0.1 mg/ml. We do not recommend storing the aqueous solution for more than one day.

Description

Oleic acid-13C5 is intended for use as an internal standard for the quantification of oleic acid (Item Nos. 90260 | 24659) by GC- or LC-MS. Oleic acid is a monounsaturated fatty acid and a major component of membrane phospholipids that has been found in human plasma, cell membranes, and adipose tissue.^{1,2} It contributes approximately 17% of the total fatty acids esterified to phosphatidylcholine, the major phospholipid class in porcine platelets.¹ Oleic acid inhibits collagen-stimulated platelet aggregation by approximately 90% when used at a concentration of 10 μg/ml. It also inhibits fMLF-induced neutrophil aggregation and degranulation by 55 and 68%, respectively, when used at a concentration of 5 μ M, similar to arachidonic acid (Item Nos. 90010 | 90010.1 | 10006607).³ Oleic acid (60 μ M) induces release of intracellular calcium in human platelets.⁴ In vivo, oleic acid increases TNF- α , IL-8, IL-6, and IL-1 β production, neutrophil accumulation, and apoptotic and necrotic cell death in mouse lung and has been used to induce lung injury in a mouse model of acute respiratory distress syndrome (ARDS).²

References

- 1. Wahle, K.W. and Peacock, L.I. Effects of isomeric *cis* and *trans* eighteen carbon monounsaturated fatty acids on porcine platelet function. Biochim. Biophys. Acta 1301(1-2), 141-149 (1996).
- Goncalves-de-Albuquerque, C.F., Silva, A.R., Burth, P., et al. Acute respiratory distress syndrome: Role of 2. oleic acid-triggered lung injury and inflammation. Mediators Inflamm. 260465, (2015).
- 3. Naccache, P.H., Moiski, T.F., Volpi, M., et al. Modulation of rabbit neutrophil aggregation and degranulation by free fatty acids. J. Leukoc. Biol. 36(3), 333-340 (1984).
- 4. Siafaka-Kapadai, A., Hanahan, D.J., and Javors, M.A. Oleic acid-induced Ca²⁺ mobilization in human platelets: Is oleic acid an intracellular messenger? J. Lipid Mediat. Cell Signal 15(3), 215-232 (1997).

WARNING THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

SAFFTY DATA

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cavman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information uyer agrees to purchase the material can be found on our website

Copyright Cayman Chemical Company, 10/04/2022

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897 [734] 971-3335 FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.CAYMANCHEM.COM