

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



Product Information



S-2 Methanandamide

Item No. 90076

CAS Registry No.: 157182-48-4

Formal Name: N-(2S-hydroxypropyl)-5Z,8Z,11Z,14Z-

eicosatetraenamide

Synonym: (S)-(+)-Arachidonyl-2'-Hydroxy-1'-

Propylamide

MF: $C_{32}H_{39}NO_{2}$ FW: 361.6 **Purity:** ≥98%

Stability: ≥1 year at -20°C Supplied as: A solution in ethanol

Laboratory Procedures

For long term storage, we suggest that S-2 methanandamide be stored as supplied at -20°C. It should be stable for at

S-2 methanandamide is supplied as a solution in ethanol. To change the solvent, simply evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as DMSO and dimethyl formamide purged with an inert gas can be used. The solubility of S-2 methanandamide in these solvents is approximately 10 mg/ml.

Further dilutions of the stock solution into aqueous buffers or isotonic saline should be made prior to performing biological experiments. Ensure that the residual amount of organic solvent is insignificant, since organic solvents may have physiological effects at low concentrations. If an organic solvent-free solution of S-2 methanandamide is needed, it can be prepared by evaporating the ethanol and directly dissolving the neat oil in aqueous buffers. The solubility of S-2 methanandamide in PBS, pH 7.2, is approximately 100 µg/ml. We do not recommend storing the aqueous solution for more than one day. For maximum solubility in aqueous buffers, the ethanolic solution of S-2 methanandamide should be diluted with the aqueous buffer of choice. S-2 methanandamide has a solubility of approximately 8.5 mg/ml in a 1:2 solution of ethanol: PBS (pH 7.2) using this method.

S-2 methanandamide is the second most potent CB1 receptor agonist in the methanandamide series. It has a K, value of 26 nM for the CB₁ receptor. S-2 methanandamide is also less prone to FAAH inactivation, and inhibits the murine vas deferens twitch response with an IC₅₀ value of 47 nM.¹

1. Abadji, V., Lin, S., Taha, G., et al. (R)-Methanandamide: A chiral novel anandamide possessing higher potency and metabolic stability. J. Med. Chem. 37, 1889-1893 (1994).

Related Products

For a list of related products please visit: www.caymanchem.com/catalog/90076

WARNING: This product is for laboratory research only: not for administration to humans. Not for human or veterinary DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until information to the contrary becomes available. Do not ingest, swallow, or inhale. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. This information contains some, but not all, of the information required for the safe and proper use of this material. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

Cayman Chemical Company makes **no warranty or guarantee** of any kind, whether written or oral, expressed or implied, including without limitation, any warranty of fitness for a particular purpose, suitability and merchantability, which extends beyond the description of the chemicals hereof. Cayman **warrants only** to the original customer that the material will <u>meet our specifications</u>

purpose, suitability and merchantability, which extends beyond the description of the chemicals hereof. Cayman warrants only to the original customer that the material will meet our specifications at the time of delivery.

Cayman will carry our its delivery obligations with due care and skill. Thus, in no event will Cayman have any obligation or liability, whether in tort (including negligence) or in contract, for any direct, indirect, incidental or consequential damages, even if Cayman is informed about their possible existence.

This limitation of liability does not apply in the case of intentional acts or negligence of Cayman, its directors or its employees.

Buyer's exclusive remedy and Cayman's sole liability hereunder shall be limited to a refund of the purchase price, or at Cayman's option, the replacement, at no cost to Buyer, of all material that does not meet our specifications.

Said refund or replacement is conditioned on Buyer giving written notice to Cayman within thirty (30) days after arrival of the material at its destination. Failure of Buyer to give said notice within thirty (30) days after arrival of the material at its destination. Failure of Buyer to give said notice within thirty (30) days after arrival of the material at its destination.

thirty (30) days shall constitute a waiver by Buyer of all claims hereunder with respect to said material.

For further details, please refer to our Warranty and Limitation of Remedy located on our website and in our catalog.

Cayman Chemical

Mailing address

1180 E. Ellsworth Road Ann Arbor, MI 48108 USA

Phone

(800) 364-9897 (734) 971-3335

(734) 971-3640

custserv@caymanchem.com

Copyright Cayman Chemical Company, 11/14/2013

www.caymanchem.com