

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



PRODUCT INFORMATION



Linoleoyl Ethanolamide

Item No. 90155

CAS Registry No.: 68171-52-8

N-(2-hydroxyethyl)-9Z,12Z-Formal Name:

octadecadienamide

Synonym:

MF: $C_{20}H_{37}NO_{2}$ 323.5 FW: **Purity:** ≥98%

Supplied as: A solution in ethanol

Storage: -20°C Stability: ≥1 year

Information represents the product specifications. Batch specific analytical results are provided on each certificate of analysis.

Laboratory Procedures

Linoleoyl ethanolamide is supplied as a solution in ethanol. To change the solvent, simply evaporate the ethanol under a gentle stream of nitrogen and immediately add the solvent of choice. Solvents such as DMSO and dimethyl formamide purged with an inert gas can be used. The solubility of linoleoyl ethanolamide in these solvents is at least 25 mg/ml.

Linoleoyl ethanolamide is sparingly soluble in aqueous buffers. For maximum solubility in aqueous buffers, the ethanolic solution of linoleoyl ethanolamide should be diluted with the aqueous buffer of choice. Linoleoyl ethanolamide has a solubility of 100 µg/ml in a 1:2 solution of ethanol:PBS (pH 7.2) using this method. We do not recommend storing the aqueous solution for more than one day.

Description

Linoleoyl ethanolamide is an endocannabinoid detected in porcine brain and murine peritoneal macrophages which contains linoleate in place of the arachidonate moiety of arachidonoyl ethanolamide (AEA).^{1,2} It has weak affinity for the cannabinoid 1 (CB₁) and CB₂ receptors, exhibiting K_i values of 10 μ M and 25 μM, respectively.3 However, it is only approximately 4-fold less potent than AEA at causing catalepsy in mice (ED₅₀ = 26.5 mg/kg).⁴ In addition, linoleoyl ethanolamide increases ERK phosphorylation and AP-1-dependent transcription approximately 1.5 fold at 15 µM in a CB-receptor-independent manner.5 However, cellular toxicity is readily apparent at concentrations of 10-20 μM. Linoleoyl ethanolamide inhibits human fatty acid amide hydrolase-dependent hydrolysis of AEA with a K_i value of 9.0 μM, but also is hydrolyzed effectively by the enzyme.6,7

References

- 1. Patrono, C., Rotella, C.M., Toccafondi, R.S., et al. Prostaglandins 22(1), 105-115 (1981).
- 2. Schmid, P.C., Kuwae, T., Krebsbach, R.J., et al. Chem. Phys. Lipids 87, 103-110 (1997).
- 3. Lin, S., Khanolkar, A.D., Fan, P., et al. J. Med. Chem. 41, 5353-5361 (1998).
- 4. Watanabe, K., Matsunaga, T., Nakamura, S., et al. Biol. Pharm. Bull. 22(4), 366-370 (1999).
- 5. Berdyshev, E.V., Schmid, P.C., Krebsbach, R.J., et al. Biochem. J. 360, 67-75 (2001).
- 6. Maccarrone, M., van der Stelt, M., Rossi, A., et al. J. Biol. Chem. 273, 32332-32339 (1998).
- 7. Bisogno, T., Maurelli, S., Melck, D., et al. J. Biol. Chem. 272, 3315-3323 (1997).

WARNING
THIS PRODUCT IS FOR RESEARCH ONLY - NOT FOR HUMAN OR VETERINARY DIAGNOSTIC OR THERAPEUTIC USE.

This material should be considered hazardous until further information becomes available. Do not ingest, inhale, get in eyes, on skin, or on clothing. Wash thoroughly after handling. Before use, the user must review the complete Safety Data Sheet, which has been sent via email to your institution.

WARRANTY AND LIMITATION OF REMEDY

subject to Cayman's Terms and Conditions. Complete Terms and Conditions including Warranty and Limitation of Liability information Buyer agrees to purchase the material can be found on our website.

Copyright Cayman Chemical Company, 12/17/2019

CAYMAN CHEMICAL

1180 EAST ELLSWORTH RD ANN ARBOR, MI 48108 · USA PHONE: [800] 364-9897

[734] 971-3335

FAX: [734] 971-3640 CUSTSERV@CAYMANCHEM.COM WWW.**CAYMANCHEM**.COM