



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic)



Technically
Speaking

CEDARLANE®
www.cedarlanelabs.com



Delivering You Today's Innovations for
the Science of Tomorrow™

Mouse anti-Human Cytokeratin 8 (L.M. Weight) Monoclonal Antibody

CLSG36671
CLSG36671-05
Lot:

Immunogen: BALB/C mice were immunized with cytoskeletal extract of human hepatocellular carcinoma cell line, Hep3B.

Clone: 358H11

Isotype: IgM, Kappa

Format: 1 ml (CLSG36671), or 0.5 ml (CLSG36671-05). This antibody is supplied as tissue culture supernatant containing sodium azide as a preservative.

Titer/Working Dilution: This antibody may be diluted to a titer of 1:10-1:25 in an ABC method. The final dilution should be determined by the user based upon the staining conditions employed.

Staining Protocol: We suggest an incubation period of 30 minutes at room temperature. Optimal incubation conditions should be determined by the user based upon the fixation conditions and staining system employed. Enzymatic pre-digestion of paraffin embedded tissues is recommended prior to the immunostaining.

Specificity: This antibody recognizes keratin polypeptide of 54 kDa. It stains strongly with non-squamous epithelium but does not stain squamous epithelium. It reacts with the sweat glands and ducts in the skin. Adenocarcinomas of the ovary, gastrointestinal tract, ductal carcinoma of breast, pancreas, and bile ducts, stain positive with this antibody.

Positive Control: Skin

Cellular Localization: Cytoplasmic

Storage: Store at 2-8°C. Do not use beyond the expiration date stated on the label.

References:
i) Gown et al. J Cell Biol 95: 414, 1982.
ii) Gown et al. Am J Pathol 114: 309, 1984.
iii) Gown et al. Am J Clin Pathol 84: 413, 1985.

Laboratory Reagent For Research Use Only

JV 06/21/10

Visit our website for your local distributor.

CEDARLANE®



www.cedarlanelabs.com

An ISO 9001:2000 and ISO 13485:2003
registered company.

In CANADA: Toll Free: 1-800-268-5058

4410 Paletta Court, Burlington, ON L7L 5R2 ph: (289) 288-0001, fax: (289) 288-0020
e-mail: general@cedarlanelabs.com

In the USA: Toll Free: 1-800-721-1644

1210 Turrentine Street, Burlington, NC 27215 ph: (336) 513-5135, fax: (336) 513-5138
e-mail: service@cedarlanelabs.com